




CORONA®
SEASON AFTER SEASON

A person is holding a large basket of oranges. The person's face is partially visible in the upper right, smiling. The background is dark and out of focus, showing some green foliage. The oranges are bright orange and have green leaves attached to them. The text is overlaid on the left side of the image.

**IT STARTED IN 1928
WITH THE INVENTION
OF THE ORANGE SHEARS
THAT REVOLUTIONIZED
THE CITRUS INDUSTRY,
AND WE'VE BEEN GOING
STRONG EVER SINCE.**



1928

INVENTION OF THE FIRST CORONA TOOL,
THE ORANGE CLIPPERS THAT FOREVER
CHANGED THE CITRUS INDUSTRY



1968

NEW RED COMFORT GRIP HANDLES
INTRODUCED WITH BETTER
SPRING ACTION



2018

90 YEARS LATER, WE'VE DONE IT AGAIN
WITH THE NEW MAXFORGED™ BYPASS
ORANGE SHEARS FOR CLEANER CUTS,
COMFORT AND MORE CONTROL



CORONA

SEASON AFTER SEASON

PRODUCT LINES

MAX

SHARPNESS & DURABILITY™

MAX

STRENGTH & DURABILITY™

Our best-in-class MAX TOOLS with extensive replacement parts program are crafted using higher-grade materials that meet or exceed the rigorous demands of the **pro** and **passionate homeowner** who require heavy-duty durability and lasting performance, Season after Season®.

MAX FORGED

SHARPNESS & DURABILITY™

MAX FORGED

STRENGTH & DURABILITY™

High-grade, heavy-duty steel is fire-heated and hammer-forged to form exceptionally strong and durable **pro-grade** tools that are guaranteed to provide their owners many years of Superior Performance.

RED

Known to many as our RED line, these CORONA® tools are designed for general use by **casual gardeners** and **landscaping enthusiasts** who demand a feature-rich tool for their gardening projects. CORONA tools and accessories combine lightweight control and comfort with trusted reliability, value and performance, Season after Season®.

PLANTING, CULTIVATING & TURNING SOIL

10-21

Hoes
Cultivators
Forks
Small Hand Tools
Garden Tools
Lawn & Garden Tools



RAKING, CLEANUP & HAULING

22-31

Level Head Rakes
Landscape Rakes
Bow Rakes
Leaf Rakes
Brooms
Wheelbarrows



SHOVELING & TRENCHING

32-47

All-Steel Shovels
MAXForged Shovels
Closed-Back Shovels
Standard Shovels
Trench Shovels
Scoop Shovels
Lightweight Shovels
DIY Shovels & Spades
Post Hole Diggers



DEMOLITION, SPLITTING & DIGGING

48-51

Axes
Hammers
Picks & Mattocks
Heavy Bars



SHAPING & SHARPENING

52-59

Files
Rasps



COMMERCIAL & MUNICIPAL MAINTENANCE

60-65

Cutting Tools
Valve Keys
Wrenches
Probes
Tamps & Post Drivers
Scrapers
Weed Cutters & Edgers



STEM, BRANCH & LIMB PRUNING

66-85

Hand Pruners
Hedge Shears
Grass Shears
Loppers
Machetes
Pruning Saws
Tree Pruners
Tree Pruner Components
Tree Pruner Saw Blades



THINNING, SHEARING & HARVESTING

86-91

Shears & Snips
Floral Shears
Hydroponic Tools
Fruit Picker



ACCESSORIES

92-93



BURDON & BALL®

94-105

Kneelo® Knee pads
Kneelo® Kneeler
Hip-Trug
Easy to Spot Tools & Gloves
RHS Pruning & Hand Tools
Sophie Conran Pruner



SALES SUPPORT & MERCHANDISING

106-111



MAX FORGED
SHARPNESS & DURABILITY™

High-grade, heavy-duty steel is fire-heated and hammer-forged to form exceptionally strong and durable pro-grade tools that are guaranteed to provide many years of Superior Performance.

MAXFORGED HEDGE SHEAR | HS15150

p. 73



MAXFORGED BYPASS LOPPER | SL15167

p. 75



MAXFORGED BYPASS PRUNER | BP15180

p. 69



ClassicCUT®

Experience the performance and durability of forged tools with classic, simple designs that withstand the test of time. The ClassicCUT® family of tools is preferred by engaged gardeners and landscapers.

- Forged steel alloy construction for maximum strength and sharpness.
- Comfortable contoured non-slip grips.
- Resharpenable blades and replacement parts available.



The bypass lopper and hedge shear have lightweight steel core handles and shock absorbing bumpers which decrease shoulder fatigue.

NEW

single handed lock operation on the bypass pruner.





Each ***RazorTOOTH Saw***® undergoes a four-part manufacturing process to ensure maximum durability and hardness, friction reduction and extremely fast and efficient cuts.

RazorTOOTH Saws®

Improved handle with rubberized non-slip grip provides comfort over extended use.

Chrome-plated blade reduces friction and improves cutting efficiency on each pull stroke.



Easy-to-lock folding blade, protects teeth to prevent injury when not in use.



Burgon & Ball®

S H E F F I E L D E N G L A N D S I N C E 1 7 3 0

OUR LINE IS EVER-GROWING.

After a successful introduction of Kneelo® knee pads, kneeler and hip trug caddy, Corona is proud to expand our Burgon & Ball offerings with new tools and accessories this year. Take a look at what's in store for 2021 including; high-quality, ergonomic pruning tools, can't-miss fluorescent gloves and tools that are as eye-catching on garden displays as they are in the garden.



Easy to spot fluorescent gloves & tools



Royal Horticultural Society endorsed gardening and pruning tools



Practical and tough gardening tools



Elegant bypass pruners by garden designer Sophie Conran

Turn to page 94 to see the whole line.





FURROW. WEED. AERATE.

HOES
CULTIVATORS
FORKS
SMALL HAND TOOLS
GARDEN TOOLS
LAWN & GARDEN TOOLS



MAX HOES

STRENGTH & DURABILITY

MAXFORGED | DRAW HOE

FH 70000 | 60 IN ASH HANDLE




- Forged, tempered head for maximum strength, long service life and superior blade sharpness
- Sharpened 6 1/4 in blade edge penetrates ground easily, slices through weeds easily
- Single-piece, solid-socket design prevents moisture from weakening handle, gives greater strength
- Extra-long handle lets you work upright and reduced back strain
- Limited Lifetime Warranty

MAXFORGED | EYE HOE

FH 71000 | 7 IN BLADE | 60 IN ASH HANDLE

FH 71002 | 7 2/3 IN BLADE | 60 IN ASH HANDLE


FH 71003 | 5 1/3 IN BLADE | 60 IN ASH HANDLE



- Forged, tempered steel blades for maximum strength, long service life and superior sharpness
- Sharpened-blade edges penetrate ground easily, slice through weeds easily
- 60 in wood handle withstand heavy weed chopping
- Ox-eye connections for extra-thick handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 71000-4 - Handle
 - 71000-8 - 7 in head
 - 71002-8 - 7 2/3 in head

MAX | GARDEN HOE

SH 60060 | 6 IN BLADE | 60 IN ALUMINUM HANDLE



- Tempered steel head for strength and long life
- Gooseneck design ideal for working around plants
- 6 in wide blade most popular size for general maintenance tasks
- Lightweight aluminum, non-slip oval-shaped handle
- Limited Lifetime Warranty

MAX | OSCILLATING HOE

SH 60000 | 4 IN BLADE | 60 IN ASH HANDLE

SH 60001 | 5 IN BLADE | 60 IN ASH HANDLE



- Heavy-duty blade design for long service life
- Heads automatically angle to slice weeds just below surface on both forward and back stroke
- Concave blades sharpen during use
- Extra-long handle lets you work upright and reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60100-4 - handle
 - 60101-8 - head, 5 in
 - 60100-8 - head, 4 in

MAX | OSCILLATING HOE

SH 60061 | 6 IN BLADE | 60 IN ALUMINUM HANDLE



- Heavy-duty, double-edged blade for push/pull weed cutting
- Slice weeds just below the surface with automatically angling blade
- 60 in lightweight aluminum, non-slip, 2X bolt-thru handle
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60061-8 - Head

MAX | DIAMOND HOE

SH 61000 | 8 IN BLADE | 60 IN ASH HANDLE



- 8 in diamond-shaped head with four sharpened edges cuts weeds on both forward and back strokes
- Points of diamond-shaped blade can nick even small weeds from hard to reach areas
- Easily sharpened carbon steel blade
- Extra-long handle lets you work upright and reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60001-4 - handle

MAX | HEAVY-DUTY WEEDING HOE

SH 63000 | 7 IN BLADE | 60 IN ASH HANDLE



- Tough, tempered, abrasion-resistant 7 in steel blade holds edge
- Notched and sharpened blade cuts on both push and pull stroke, slices easily through fibrous, overgrown weeds such as thistles, bindweed, wild mustard and clumping grasses
- Extra-long handle lets you work upright and reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60001-4 - handle

MAX | MCLEOD HOE

SH 65000 | 48 IN ASH HANDLE

SH 65000KD | KNOCKED-DOWN




- Tempered steel tines for superior strength and long service life
- Very versatile, used for raking, scraping, grubbing and tamping
- 10 1/2 x 8 1/2 in head with 9 in sharpened edge and 3 3/8 in tines
- SH65000KD- Knocked-down version of SH 65000 for shipping purposes - assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 65001-8 - Head
 - 65000-4 - Handle

HOES



GARDEN HOE

SH 20000 | 6 IN BLADE | 54 IN WOOD HANDLE



- Swan-shaped neck keeps soil from building up on the tool
- Strong socket joint bolstered with a screw
- 6 in wide blade most popular size for general maintenance tasks
- Limited Warranty

VALUE HOES All Value Tools carry a 1-year limited warranty

LIGHT-DUTY GARDEN HOE

SH 10000 | 51 IN WOOD HANDLE

- 6 in wide blade

OSCILLATING HOE

SH 15000 | 54 IN WOOD HANDLE

- Lightweight tool for weeding
- Heat-treated carbon steel head
- 6 in concave blade stays sharp with use

WARREN HOE

SH 22000 | 54 IN WOOD HANDLE

- Tempered steel, 5x6 in V-shaped head has sharpened edges for furrowing and digging
- 54 in wood handle

MAX CULTIVATORS

MAX | 1 PRONG CULTIVATOR

CV 60061 | 60 IN ALUMINUM HANDLE



MAX | 3 PRONG CULTIVATOR

CV 60063 | 60 IN ALUMINUM HANDLE



MAX | 4 PRONG CULTIVATOR

CV 60064 | 60 IN ALUMINUM HANDLE



- Strong tempered steel heads for weeding and cultivating soil
- Reinforced riveted connections to prevent handle wobble
- Lightweight aluminum, non-slip, oval-shaped handles
- Limited Lifetime Warranty

CULTIVATORS

4 PRONG CULTIVATOR

CV 20004 | 54 IN ASH HANDLE



- Tempered steel head for long service life
- Welded tines have oval cross-section for reduced pulling effort
- Weeding and cultivating in one stroke
- Limited Warranty

DANDELION WEEDER

CV 22000 | 36 IN WOOD HANDLE



- Long-reach weeder digs out long taproot weeds without creating a large hole
- 36 in wood handle for weeding without stooping
- Limited Warranty

MAX FORKS

STRENGTH & DURABILITY

MAXFORGED | DIGGING FORKS

FK 70000 | 4 TINES | 48 IN ASH HANDLE



FK 70010 | 4 TINES | 30 IN D-GRIP ASH HANDLE



- Forged, tempered tines for maximum strength and long service life
- Tines are narrow and tapered for easier soil penetration, yet extra thick to prevent splaying
- Riveted steel tang for maximum strength head-to-handle connection
- Durable Ash wood handles, 2X varnished for weather resistance
- Limited Lifetime Warranty

MAXFORGED | HAY FORKS

FK 71004 | 4 TINES | 54 IN ASH HANDLE



FK 71005 | 5 TINES | 54 IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving loose hay, mulches, tree trimmings, landscape waste
- Oval tines for greater lifting strength
- Durable Ash wood handles, 2X varnished for weather resistance
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 71001-4 - Handle (FK 71004)
 - 71002-4 - Handle (FK 71005)

MAXFORGED | REFUSE FORK

FK 70004 | 4 TINES | 54 IN ASH HANDLE



- Use to drag refuse and harvest root vegetables
- Heavy-duty forged steel head for maximum durability
- Steel ferrule design for stronger connection
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Limited Lifetime Warranty

MAXFORGED | ENSILAGE FORKS

FK 74000 | 10 TINES | 54 IN ASH HANDLE



FK 74010 | 10 TINES | 30 IN D-GRIP ASH HANDLE



- Heavy-duty forks for lifting ensilage, construction debris, mulch or other loose materials
- Forged, tempered steel heads for maximum strength, long service life
- Closely spaced oval tines for maximum lifting capacity
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 74010-4 - D-Grip Handle
 - 71002-4 - Handle

MAXFORGED | MANURE FORKS

FK 72004 | 4 TINES | 54 IN ASH HANDLE




FK 72005 | 5 TINES | 54 IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving manure, compost, planting mix and other dense, damp material
- Oval tines for greater lifting strength
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 71001-4 - Handle (FK 72004)
 - 71002-4 - Handle (FK 72005)

MAXFORGED | MANURE FORK

FK 72065 | 5 TINES | 54 IN ALUMINUM HANDLE



- Tempered steel head for superior strength and long service life
- 5-tine configuration is ideal for lifting and transferring materials
- Oval tines for greater lifting strength
- Lightweight aluminum, non-slip, oval-shaped handle
- Limited Lifetime Warranty

FORKS



DIGGING FORK

FK 42000 | 4 TINES | 29 IN D-GRIP ASH HANDLE



- Tempered steel tines for long service life
- 10 in tapered tines for easier soil penetration
- 29 in D-grip handle is easy to use in tight spaces
- Limited Warranty

ENSILAGE FORK

FK 44010 | 10 TINES | 30 IN D-GRIP ASH HANDLE



- Tempered welded steel head to lift ensilage, construction debris, mulch or other loose materials
- Durable Ash wood handle, 2X varnished for weather resistance
- Limited Warranty

MANURE FORK

FK 42010 | 10 TINES | 48 IN ASH HANDLE



- Tempered steel head to lift manure, compost or dense materials
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Long steel ferrule provides strength and durability
- Limited Warranty



MAX SMALL HAND TOOLS

Heavy-Duty Mattocks

- 14-gauge welded steel construction withstands repeated use and exposure to the elements
- 14-in handles with non-slip grips reduce hand strain, absorb vibration and make for easy work in close quarters.

MAX | BEDDING MATTOCK

HT 69100 | SINGLE-SIDED 3 IN BLADE

- Open holes up to 6 1/3 in deep
- Quickly set "color pack" plants
- Useful for working around irrigation boxes
- Limited Lifetime Warranty

MAX | PLANTING MATTOCK

HT 69200 | DUAL BLADES - 1 1/3 IN AND 2 IN WIDE

- Chop through hardpan soil up to 4 1/3 in deep
- Quickly set "pony pack" plants
- Limited Lifetime Warranty

MAX | CULTIVATING MATTOCK

HT 69300 | 1/3 IN WIDE BLADE | 3 TINES SET

- Break up compacted soil up to 3 in deep
- Loosen weeds around fragile seedlings and roots
- Limited Lifetime Warranty

SMALL HAND TOOLS



Premium Grade
Stainless**STEEL**

Comfort**GEL**® Garden Tools

Our new line of stainless steel hand tools is built to work as hard as you do for the long haul. This fully featured line comes with ComfortGEL® grips, large diameter reinforced square tangs, welded joints and robust tool heads and blades.



TROWEL

CT 3314 | Comfort**GEL** GRIP

- Integrated bag ripper
- Flat-ended tamper handle/grip
- Finger guard protects hand during digging
- Depth gauge for precise holes
- Limited warranty



TRANSPLANTER

CT 3324 | Comfort**GEL** GRIP

- Depth gauge for precise holes
- Finger guard protects hand during digging
- Ideal for transplanting smaller plants
- Limited warranty



CULTIVATOR

CT 3334 | Comfort**GEL** GRIP

- Largest-diameter robust tines
- Finger guard protects hand during digging
- Ideal for aerating around young plants/weeding between rows
- Limited warranty

SMALL HAND TOOLS



HOE/CULTIVATOR

CT 3344 | ComfortGEL GRIP

- Dual working heads - 2 tools in 1
- Sharp hoe to break up clumpy soil
- Cultivator for weeding between rows
- Limited warranty



WEEDER

CT 3354 | ComfortGEL GRIP

- 2-prong end for piercing soil, extracting weed at root
- Serrated-edge for cutting weeds and weed roots
- Limited warranty



SCOOP

CT 3364 | ComfortGEL GRIP

- Large scoop for transporting more soil, ice melt and pet food
- Finger guard protects hand during use
- Limited warranty



FORK

CT 3374 | ComfortGEL GRIP

- Straight tines to break and mix up soil while avoiding damage to plants
- Finger guard protects hand during use
- Limited warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SMALL HAND TOOLS

ErgoGRIP™ Garden Tools

- Die-cast aluminum alloy heads are lightweight and will not corrode
- Anti-slip thumb rises and finger guards for greater stability and control
- Ergonomic poly grips minimize hand stress

TROWEL

CT 3710 | ErgoGRIP

- Graduated 2 7/8 in wide blade with bag ripper
- Limited Warranty



TRANSPLANTER

CT 3720 | ErgoGRIP

- Serrated 2 3/8 in wide blade with bag ripper
- Limited Warranty



CULTIVATOR

CT 3730 | ErgoGRIP

- Penetrate soil easily with tapered cast aluminum tines
- Limited Warranty

U.S. Patent D582,227



HOE/CULTIVATOR

CT 3740 | ErgoGRIP

- Convenient 2-in-1 tool for weeding and cultivating
- Limited Warranty

U.S. Patent D581,752



WEEDER

CT 3750 | ErgoGRIP

- Easier weeding with 6 in serrated blade and forked tip
- Limited Warranty



Garden Tools

- Basic hand tools for a broad range of applications
- One-piece aluminum alloy heads are lightweight and durable
- Cushioned non-slip grips for comfort

TROWEL

CT 3010i

- Easily dig, plant, pot and more with a sharpened 3 in wide blade
- Limited Warranty



TRANSPLANTER

CT 3020i

- Insert new plants at proper depth with a 2 1/8 in wide marked and graduated blade
- Limited Warranty



CULTIVATOR

CT 3030i

- 3 angled tines set 1 1/4 in apart to break and mix up soil while avoiding damage to plants
- Limited Warranty



FORK

CT 3040i

- 3 straight tines set 1 1/2 in apart to break and mix up soil while avoiding damage to plants
- Limited Warranty



WEEDER

CT 3050i

- Get at weeds' roots with a tapered 7 1/4 in long blade
- Limited Warranty



WEEDING TOOL

WD 2200DC

- Ideal for weeding flower & vegetable beds, cracks in paved walkways and walls
- Simple hook design cuts weeds with a push, removes with a pull
- Easy taproot removal with beveled edge - simply dig in and pop out
- Quickly remove moss and grass from cracks with pointed end
- Limited Warranty





EXTENDED REACH

ComfortGEL® Garden Tools

- Designed for gardeners working on raised-bed gardens, small gardens and tight access locations
- Optimal length for long reach and balance - ideal for gardeners who have physical strength limitations that make large tools hard to manage.
- Unique, trapezoid shaped handles add comfort and control
- ComfortGEL® grips deliver comfort to gardeners who seek an easier, more therapeutic gardening experience

7-TINE RAKE

GT 3234 | ComfortGEL GRIP

- 36 in. extended reach
- Tines cultivate soil during planting process
- 7 tine sides to transport, break-up and level soil
- Grooved top for fine smoothing of soil
- Limited warranty

U.S. Patent D852,021

HOE/CULTIVATOR

GT 3244 | ComfortGEL GRIP

- 36 in. extended reach
- Breaks up clumpy-soil and digs up weeds
- Moves and aerates soil
- Limited warranty

U.S. Patent D852,021

2-PRONG WEEDER

GT 3254 | ComfortGEL GRIP

- 40 in. extended reach
- Sharpened, fork-tipped blade pulls weeds at root source
- Limited warranty

U.S. Patent D852,021

ExtendaHANDLE® Garden Tools

- Lightweight steel handles extend from 18 in to 34 in for extra reach
- Heads are fully heat-treated for enhanced durability
- Protective coatings resist chipping and rust
- Comfortable non-slip grips
- Convenient hanging rings for easy storage
- Limited Warranty



GT 3040 - WEEDER

GT 3050 - RAKE

GT 3060 - GARDEN HOE/CULTIVATOR

GT 3070 - CULTIVATOR

GT 3080 - TROWEL

GT 3090 - 3 TINE HOE

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DPHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LAWN & GARDEN TOOLS



ComfortGEL®

Lawn and Garden Tools

Introducing Corona's newest line of lawn and garden tools with ComfortGEL® grips for exceptional comfort and control. We've engineered and developed this range of tools to provide you with hand-held solutions to cultivate, weed, till and maintain your property. Repair your lawn, edge a border or prepare a garden bed with comfort and innovative features.

GARDEN & SOIL CULTIVATOR

DiscCULTIVATOR®

with ComfortGEL® grip

LG 3634

- 3 tine-configurations for different uses: weed, aerate and till soil
- Three, easy to adjust sets of detachable rotational tines
- Large steel tines quickly break up soil and are self-cleaning
- All metal footplate versus plastic for added durability
- 60-in. long angled handle for enhanced leverage and reduced back strain
- Limited warranty

U.S. Patent D845,093 and D868,552



LAWN & SOIL AERATOR

YardBREATHER®

with ComfortGEL® grip

LG 3604

- Penetrates and breaks up grass and compact soil to allow air, water and nutrients to reach the roots, promoting growth
- Designed to automatically eject 3.5-in. long soil plugs with each step
- Slip-resistant, traction grooves on the footplate add safety and stability
- Heat-treated steel on footplate and spikes for lasting durability
- Limited warranty



GARDEN TILLER

SoilRIPPER®

with ComfortGEL® grip

LG 3624

- Used for tilling soil and the development of seed-rows in gardens
- A substitute for rototillers in small developed gardens or raised-bed gardens
- Durable, heat-treated high carbon steel tines versus cast aluminum
- Self-sharpening, large 9-in. wide x 6-in. long steel tines
- All metal footplate will withstand high-load bearing pressure
- Quick release plunger to push out dirt and mud clots from tool between submersions into soil
- Limited warranty

U.S. Patent D838,150



WEEDING TOOL

WeedDESTROYER®

with ComfortGEL® grip

LG 3654

- Removes tough weeds without the use of chemicals
- All steel footplate with slip-resistant traction grooves for added control
- Fully heat-treated, high carbon steel blades for extra strength when driving into the soil
- Quick release plunger for removing weed from tool
- Limited warranty

U.S. Patent D843,799





SIDEWALK & BORDER EDGER

EdgeMASTER™

with **ComfortGEL®** grip
LG 3684

- Quick clean cuts in grass, sod or soil
- Trim sidewalks or create borders for gardens or flower beds
- Ribbed blade that's self-sharpening, durable, fully heat-treated and made from high carbon steel.
- Double-traction grooved footplate supports additional load bearing pressure
- Limited warranty



TREE & SHRUB IRRIGATOR

RootIRRIGATOR

with **ComfortGEL®** grip
LG 3710

- Provides water or irrigation directly to the roots for healthy growth
- Prompts trees to grow roots deeper and further from trunk for longevity
- Eliminates water runoff and evaporation
- Detachable, universal, 3-in. shut off brass valve makes it easy to control water flow
- Depth markers of 12-in., 18-in. and 24-in. for precise watering of tree roots
- Limited warranty



GROUND CLEARING TOOL

QuickCOLLECTOR®

with **ComfortGEL®** grip
LG 3694

- Reduces time and effort in collecting tree nuts and seed pods
- Simple rolling action easily picks up and gathers nuts
- Flexible spring-steel cage makes emptying quick and easy
- 48-in. carbon steel handle for a comfortable, long reach
- Limited warranty



SOD & LAWN TRANSPLANTER

SodPLUGGER®

with **ComfortGEL®** grip
LG 3720

- Fill grassless areas without the expense of buying and installing sod
- Creates properly sized holes to accept standard 3-in. grass and sod plugs
- The quick release plunger efficiently removes sod plugs
- Heat-treated, high carbon steel construction for lasting durability
- Slip-resistant traction grooves designed into the footplate
- Limited warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

A photograph of a garden scene. In the foreground, a grey plastic wheelbarrow is filled with brown mulch. A wooden rake with a black metal head is leaning against the wheelbarrow. In the background, there are green plants, including a large clump of iris-like plants. The ground is covered with dry leaves and mulch. The text 'PUSH. PULL. LIFT. DUMP.' is overlaid in large white letters on the left side of the image.

PUSH. PULL. LIFT. DUMP.

LEVEL HEAD RAKES
LANDSCAPE RAKES
BOW RAKES
LEAF RAKES
BROOMS
WHEELBARROWS



MAX BOW RAKES

STRENGTH & DURABILITY



MAXFORGED | BOW HEAD RAKES

RK 65001 | 14 IN | 14 TINES | 60 IN ASH HANDLE

RK 65002 | 16 IN | 16 TINES | 60 IN ASH HANDLE


- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handles lets you work upright, reduce back strain
- Limited Lifetime Warranty



MAX | BOW HEAD RAKES

RK 65061 | 14 IN | 14 TINES | 60 IN ALUMINUM HANDLE

- 14 in bow-head design acts as spring for better control of tine depth, small head is ideal for working in close quarters
- Extra-thick, tempered steel tines for greater strength and long life
- Curved tines efficiently gather and move soil
- Lightweight aluminum, non-slip oval-shaped handle
- Limited Lifetime Warranty



MAXFORGED | BOW HEAD RAKES

RK 65021 | 14 IN | 14 TINES | 60 IN FIBERGLASS HANDLE

RK 65022 | 16 IN | 16 TINES | 60 IN FIBERGLASS HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handle with poly jacket lets you work upright, reduce back strain
- Limited Lifetime Warranty

BOW RAKES



BOW HEAD RAKE

RK 20002 | 16 IN | 16 TINES | 60 IN ASH HANDLE

RK 20022 | 16 IN | 16 TINES | 60 IN FIBERGLASS HANDLE*

- Tempered heads for long service life
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handles let you work upright, reduce back strain
- Limited Warranty

* with cushion grip

MAX LEVEL HEAD RAKES


STRENGTH & DURABILITY



MAXFORGED | LEVEL HEAD RAKE

RK 64002 | 16 IN | 14 TINES | 60 IN ASH HANDLE

- Wide head for rapid tilling and leveling
- Extra-thick, tempered, single-piece head for greater durability and long service life
- Flat-head design for smooth tamping of seed beds
- Extra-long 60 in handle lets you work upright, reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PART AVAILABLE**
 - 64000-4 - Handle



MAX | LEVEL HEAD RAKE

RK 64060 | 14 IN | 4 TINES | 60 IN ALUMINUM HANDLE

- Level-head design for efficient tilling and leveling of landscape materials, in close quarters
- Extra-thick, tempered steel tines for greater strength and long service life
- Flat head with straight tines for smooth tamping of seed beds
- Lightweight aluminum, non-slip, oval-shaped handle
- Limited Lifetime Warranty

MAX LANDSCAPE RAKES



MAX | ALUMINUM LANDSCAPE RAKES

- All-aluminum construction combines durability with ease of use during finish grading process
- Angled, extra-thick tine tips for long service life
- 66 in lightweight aluminum handles with non-slip vinyl sleeves for gripping comfort in extreme heat or cold
- Wrap-around brace supports and heavy-duty heads
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PART AVAILABLE**
 - 64000-4 - Handle*

* Product availability and packaging specifications are subject to change without notice. Please contact Corona® Customer Service for the latest information.



RK 61061 | 24 IN | 24 TINES



RK 61063 | 30 IN | 30 TINES



RK 61062 | 36 IN | 36 TINES



RK 61064 | 42 IN | 42 TINES

LAWN RAKE



THATCH/GROOM RAKE

RK 42000 | 16 IN HEAD | 54 IN WOOD HANDLE

- Head adjusts up or down to suit the height of the users
- 15 in head width works push and pull for easier removal of thatch and dead grass
- 54 in wood handle lets you work in an upright position, reduces back strain
- Limited Warranty

MAX SPRING BRACE RAKES



MAX | SPRING BRACE RAKE

RK 24061 | 24 IN | 24 TINES | 54 IN ALUMINUM HANDLE

- 54 in long aluminum handle with anti-slip vinyl sleeve for gripping comfort
- A-shaped head combines flexible tines with durability of metal for raking power
- Bolt-thru head to handle connection for added durability
- Stress distribution bar prevents the 24 tines from twisting or breaking
- Tines and spring are made of high carbon steel, providing long-lasting performance
- Powder-coated frame and tines resist rust
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 62060-4 - Handle
 - 24003-8 - Head

SPRING BRACE RAKES



SPRING BRACE RAKES

RK 24002 | 22 IN | 22 TINES | 54 IN WOOD HANDLE

RK 24003 | 24 IN | 24 TINES | 54 IN WOOD HANDLE

- Fan-shaped heads combine flexible tines with durability of metal
- Stress distribution bars that prevent tines from twisting or breaking when pressed on
- Coated frames and tines resist rust
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 24003-4 - Handle
 - 24003-8 - Head, 24 in/24 Tines

SPRING BRACE RAKE REPLACEMENT HEAD

24003-8 | 24 IN | 24 TINES

- Easy to replace this fan-shaped replacement head for RK 24061 and RK 24003



MAX FIXED TINE RAKES



MAX | FIXED TINE LEAF RAKES

RK 62001 | 19 IN | 25 TINES | 54 IN WOOD HANDLE

RK 62061 | 19 IN | 25 TINES | 54 IN ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- 3 Rivets hold heads to handles
- 25 extra-wide tines
- Double crimps hold tines in place
- 19 in/25 Tines
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 62000-4 - Wood Handle
 - 62060-4 - Aluminum Handle
 - 62001-8 - Head




MAX | FIXED TINE SHRUB RAKES

RK 62000 | 8 IN | 11 TINES | 54 IN WOOD HANDLE

RK 62060 | 8 IN | 11 TINES | 54 IN ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- Tines apply light pressure for debris removal without damage to plant feeder roots
- Narrow heads for working between closely spaced plants
- 2 Rivets hold heads to handles
- Double crimps hold tines in place
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 62000-4 - Wood Handle
 - 62060-4 - Aluminum Handle
 - 62000-8 - Head


POLY LEAF RAKES



BigLOAD™ LEAF RAKE

RK 45030 | 30 IN | 30 TINES | 60 IN ALUMINUM HANDLE

- Oversize head rakes up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 30 in poly head is both lightweight and durable
- 60 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- **REPLACEMENT PART AVAILABLE**
 - 45030-4 - Handle



BigLOAD™ JR LEAF RAKE

RK 45026 | 26 IN | 26 TINES | 60 IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 26 in poly head is both lightweight and durable
- 60 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- **REPLACEMENT PART AVAILABLE**
 - 45030-4 - Handle

POLY LEAF RAKES



LittleLOAD™ LEAF RAKE

RK 45008 | 8 IN | 11 TINES | 60 IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 8 in poly head is both lightweight and durable
- 60 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- **REPLACEMENT PART AVAILABLE**
 - 45030-4 - Handle



POLY LEAF RAKES

RK 25024 | 24 IN | 26 TINES | 48 IN WOOD HANDLE

RK 25030 | 30 IN | 30 TINES | 48 IN WOOD HANDLE

- Gather large amounts of leaves with closely spaced tines
- Extra-thick polypropylene construction with weather-resistant UV inhibitor
- Hardwood handles 2X varnished for weather resistance
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



POLY SHRUB RAKE

RK 25008 | 8 IN | 14 TINES | 42 IN WOOD HANDLE

- Polypropylene heads for collecting and carrying lightweight, moderate-sized clippings or leaves
- 42 in wood handle
- Assembly required
- 8 in poly head for easy raking between closely spaced plants
- Limited Warranty

VALUE RAKES All Value Tools carry a 1-year limited warranty

LIGHT-DUTY BOW HEAD RAKE

RK 10000 | 48 IN WOOD HANDLE

- Tempered head with 14 tines for greater durability and long-lasting performance
- Curved tines for easy penetration and gathering of soil

POLY LEAF RAKE

RK 25017 | 18 IN/20 TINES | 47 IN WOOD HANDLE

- Lightweight 18 in black poly head for light raking of leaves and plants
- Assembly required
- Formerly RK 25018



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


MAX BROOMS

STRENGTH & DURABILITY

MAX | LANDSCAPE BROOM

BM 60001 | 3 BRISTLES | 18 IN HEAD
60 IN BAMBOO HANDLE


- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | STREET BROOM

BM 62001 | 1 BRISTLE | 18 IN HEAD
60 IN BAMBOO HANDLE

- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | PUSH BROOM

BM 61002 | 2 BRISTLES | 24 IN HEAD
60 IN BAMBOO HANDLE

- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | PUSH BROOM

BM 62060 | 1 BRISTLES | 24 IN HEAD
60 IN ALUMINUM HANDLE

- Heavy-duty replaceable hardwood head
- Cast-metal socket with bolted connection and wrap-around braces
- Oval-shaped aluminum handle is sturdy and lightweight
- Assembly required
- Limited Lifetime Warranty



BROOMS

STREET BROOM

BM 43001 | 18 IN HEAD | 60 IN HARDWOOD HANDLE

- 5 in stiff orange poly bristles for rough surfaces will not absorb odors, mildew or water
- Hardwood block head is varnished for durability
- Metal handle-to-head connectors for strength - easy to assemble
- Assembly required
- Limited Warranty



PUSH BROOM

BM 41002 | 24 IN HEAD | 60 IN BAMBOO HANDLE

- Poly socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Warranty





EasyLIFTER®



MAX | EASYLIFTER® WHEELBARROWS

WB 2806 | STEEL HANDLES | PNEUMATIC TIRE

WB 2806FF | STEEL HANDLES | FLAT-FREE TIRE

- Heavy-duty all-steel frames and 6 cubic foot powder-coated trays for durability
- Lift with less effort by aligning wheel with center of gravity
- Effortless dumping with built-in fulcrum action
- Steel reinforcing plate under tray reduces puncture risk
- Two handle configurations: removable for easy transport and storage or 4-bolt semi-permanent connection*
- Heavy-Duty Wheel Options
- Smooth operation with 16 inch wheels featuring solid steel bushings and grease fittings
 - For typical applications: WB 2806 with pneumatic 4-ply tire
 - For the toughest jobs: WB 2806FF with flat-free tire
- Optional Dual Wheel Kit sold separately for heavier loads and increased stability
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | EASYLIFTER® DUAL WHEEL KITS

AC 2806 | 16 IN PNEUMATIC 4-PLY TIRE

AC 2806FF | 16 IN SOLID FLAT-FREE TIRE

- Increase capacity and stability to make short work of the toughest jobs
- Kits include 1 wheel, 1 axle and hardware
- Includes steel bushings and grease fitting
- Work in conjunction with single wheel on WB 2806 or WB 2806FF (sold separately)



All **CORONA®** Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)

MAX WHEELBARROWS

STRENGTH & DURABILITY™

6 Cubic Foot Wheelbarrows

- All Corona® MAX Wheelbarrows feature 6 cu ft class trays, optimizing carrying capacity with typical worker's lifting ability.



Leg stabilizers help to prevent tipping by distributing the load weight

MAX | HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706S | 60 IN STEEL HANDLES | 16 IN PNEUMATIC TIRE

WB 2706SFF | 60 IN STEEL HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- 6 cu ft class tray balances carrying capacity with typical worker's lifting ability
- Assembly required
- Limited Lifetime Warranty

U.S. Patent D677,852

• REPLACEMENT PARTS AVAILABLE

Replacement parts fit WB 2706, WB 2706FF, WB 2706S, WB 2706SF



Leg stabilizers help to prevent tipping by distributing the load weight

MAX | HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706 | 60 IN WOOD HANDLES | 16 IN PNEUMATIC TIRE

WB 2706FF | 60 IN WOOD HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Wheel with steel bushings and grease fitting
- Assembly required
- Limited Lifetime Warranty

U.S. Patent D677,852

• REPLACEMENT PARTS AVAILABLE

Replacement parts fit WB 2706, WB 2706FF, WB 2706S, WB 2706SF U.S. Patent D677,852



Leakproof tray

MAX | HEAVY-DUTY STEEL WHEELBARROWS

WB 2506K | 60 IN WOOD HANDLES | 16 IN PNEUMATIC TIRE

WB 2506KFF | 60 IN WOOD HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Contractor-grade hardwood handles
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Replacement parts fit WB 2506K, WB 2506KFF



Leakproof tray

MAX | HEAVY-DUTY STEEL WHEELBARROWS

WB 2606K | 60 IN STEEL HANDLES | 16 IN PNEUMATIC TIRE

WB 2606KFF | 60 IN STEEL HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Steel handles with comfort grips
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Replacement parts fit WB 2606K, WB 2606KFF

Flat Free Tires

- Fit all Corona models with a 16 in tire or axles that are 5/8 in diameter.

MAX | FLAT-FREE TIRE

AC 2500 | KNOBBY

- 16 in solid flat-free tire with steel bushings and grease fitting



MAX | FLAT-FREE TIRE

AC 2600 | RIBBED

- 16 in solid flat-free tire with steel bushings and grease fitting



WHEELBARROWS



6 CU FT STEEL WHEELBARROW

WB 2006 | 60 IN HARDWOOD HANDLES | 15 IN 2-PLY PNEUMATIC TIRE

WB 2006FF | 60 IN HARDWOOD HANDLES | 16 IN FLAT-FREE TIRE

- 1.0 mm wrinkle-free steel tray
- Reinforced steel front tray braces for added support and stability
- 15 in hub with ball bearings for years of smooth performance
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



6 CU FT POLY WHEELBARROW

WB 1006 | 60 IN HARDWOOD HANDLES | 15 IN 2-PLY PNEUMATIC TIRE

WB 1006FF | 60 IN HARDWOOD HANDLES | 16 IN FLAT-FREE TIRE

- Corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



10 CU FT POLY WHEELBARROW

WB 1010 | 60 IN HARDWOOD HANDLES | DUAL 15.5 IN 2-PLY PNEUMATIC KNOBBY TIRE

- Heavy-duty, corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- 2-ply knobby tires provide added control and stability when carrying heavy loads
- Steel hub bushings for years of smooth performance
- Contractor-grade hardwood handles
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**

VALUE WHEELBARROW All Value Tools carry a 1-year limited warranty

STEEL WHEELBARROW

WB 2004 | 4 CU FT | 57 IN WOOD HANDLES

- Great for light-duty jobs around the house
- Steel tray
- Assembly required
- 15 in pneumatic 2-ply tire with ball bearings



All CORONA® Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)














DIG UP DIG DOWN. TRENCH. SCOOP.

**ALL-STEEL SHOVELS
MAXFORGED SHOVELS
CLOSED-BACK SHOVELS
STANDARD SHOVELS
TRENCH SHOVELS
SCOOP SHOVELS
LIGHTWEIGHT SHOVELS
DIY SHOVELS & SPADES
POST HOLE DIGGERS**



CHOOSE THE RIGHT SHOVEL

STEP 1 Select Shovel Head	MAX MAXFORGED							
	PRO/Master Gardener				General Use/DIY		Value	
	ALL-STEEL SHOVELS	MAXFORGED SHOVELS	CLOSED-BACK SHOVELS	STANDARD SHOVELS	LIGHTWEIGHT SHOVELS	DIY SHOVELS	VALUE SHOVELS	
PRICE LEVELS	\$ \$ \$ \$ \$		\$ \$ \$ \$		\$ \$ \$		\$ \$	\$
QUALITY/GRADE LEVELS	★★★★★		★★★★★		★★★		★★	★
STEEL THICKNESS	ALL-STEEL 12 GAUGE FORGED		14 GAUGE		14 GAUGE OR 15 GAUGE		15 GAUGE	16 GAUGE
HEAD TYPE	Closed- or Open-Back		Closed- or Open-Back		Closed- or Open-Back		Open-Back	Open-Back
 ALL-STEEL SHOVEL HEADS: <ul style="list-style-type: none">• Feature closed backs that are welded onto steel handles• BEST FOR EXTREME DIGGING AND PRYING		   				  		
 MAXFORGED SHOVEL HEADS: <ul style="list-style-type: none">• Feature double rivets and single-piece, solid-socket designs for superior strength and durability.• BEST FOR BREAKING THROUGH CLAY, CAPSTONE AND CORAL								
 CLOSED-BACK SHOVEL HEADS: <ul style="list-style-type: none">• Welded, closed-back designs improve blade strength• BEST FOR PROTECTING HANDLE FROM MUD AND DIRT BUILD-UP								
 OPEN-BACK SHOVEL HEADS: <ul style="list-style-type: none">• Light weight design with textured epoxy blade finish to reduce rust.• BEST FOR LIGHT DUTY JOBS								
STEP 2 Select Shovel Handle								
	ALL-STEEL SHOVELS	MAXFORGED SHOVELS	CLOSED-BACK SHOVELS	STANDARD SHOVELS	LIGHTWEIGHT SHOVELS	DIY SHOVELS	VALUE SHOVELS	
AEROSPACE-GRADE STEEL HANDLES: <ul style="list-style-type: none">• Extra-heavy-duty steel handles made for extreme pulling, pushing and digging		LONG and D Grip						
SOLID-CORE FIBERGLASS HANDLES: <ul style="list-style-type: none">• Made from millions of continuous parallel glass fibers, featuring thick, molded poly jackets and integral compression bars for heavy-duty use			LONG	LONG and D Grip			VALUE WOOD ONLY	
ASH WOOD HANDLES: <ul style="list-style-type: none">• Specially coated with two layers of protectant for weather resistance and years of smooth, splinter-free performance.				LONG and D Grip		LONG and D Grip	Long and D Grip	
NON-SLIP FIBERGLASS: <ul style="list-style-type: none">• Provides the perfect balance in durability, strength and value					LONG and D Grip			
WARRANTY		LIMITED LIFETIME WARRANTY				LIMITED WARRANTY		1-YEAR WARRANTY

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11" 7/64"

14 GAUGE

0.08" 5/64"

15 GAUGE

0.07" 9/128"

16 GAUGE

0.06" 1/16"

MAX ALL-STEEL SHOVELS

STRENGTH & DURABILITY




MAX | ALL-STEEL

- For maximum digging and prying power
- Closed-back blade design provides extra strength and eliminates dirt buildup
- Thick, powder-coated, aerospace-grade steel handle is welded to the 12 gauge blade
- Limited Lifetime Warranty

Sharpshooters

Nursery Spades



Super -Duty Grade	●	●	●	●	●	●	●	●	●	●
Extreme Digging & Prying	●	●	●	●	●	●	●	●	●	●
Breaking through Hard Clay, Caprock & Coral	●	●	●	●	●	●	●	●	●	●
HEAD & BLADE										
12 GAUGE Heat Treated	●	●	●	●	●	●	●	●	●	●
Diamond			12 in	12 in	15 in	15 in				
Straight							12 in	12 in	15 in	15 in
Sharp Shooter	14.5 in L 5.75 in W	14.5 in L 5.75 in W								
HANDLE										
Straight	64 in		54 in		54 in		54 in		54 in	
D-Handle		29 in		26 in		26 in		26 in		26 in



FOOTPAD

- One FREE with all models, except sharpshooters

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX ALL-STEEL SHOVELS

STRENGTH & DURABILITY




MAX | ALL-STEEL

- For maximum digging and prying power
- Closed-back blade design provides extra strength and eliminates dirt buildup
- Thick, powder-coated, aerospace-grade steel handle is welded to the 12 gauge blade
- Limited Lifetime Warranty

Caprock Shovels

#2 Round Point

Wire & Edging Trencher



ABOUT LIFT

- Handles with **larger lift** provide greater leverage.
- Handles with smaller lift allow a nearly vertical cut.
- **Flat-bowled heads** are nearly flat for straight cuts.
- **Deep-bowled heads** are concave for "cupped" cuts.

The **1 IN LIFT** on AS 90310 allows for a nearly vertical cut. Maximum accessibility in tight spaces

1 IN LIFT

The **2 1/2 IN LIFT** on AS 90320 allows for increased leverage.

2 1/2 IN LIFT

The **4 IN LIFT** on AS 90340 allows for maximum pulling and prying leverage. Easier debris removal.

4 IN LIFT

Super-Duty Grade

● ● ● ● ●

Extreme Digging & Prying

● ● ● ● ●

Breaking through Hard Clay, Caprock & Coral

● ● ● ● ●

HEAD & BLADE

12 GAUGE Heat Treated

● ● ● ● ●

Caprock

10 in 10 in 13 in

#2 Round Pt.

12 in

Straight

10 in L
8.25 in W

HANDLE

Straight

48 in 48 in 48 in 48 in

T-Handle

45 in



FOOTPAD

- One FREE with AS 90340 and AS 90300

AC 90000 Universal Footpad

Universal rubber footpad reduces fatigue and shoe damage, fitting either side of the blade with pre-drilled holes (selected models).



STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11"
7/64"

14 GAUGE

0.08"
5/64"

15 GAUGE

0.07"
9/128"

16 GAUGE

0.06"
1/16"



MAXFORGED

• Limited Lifetime Warranty

REPLACEMENT
PARTS AVAILABLE

MAXFORGED Caprock Shovels

MAXFORGED #2 Irrigation Shovel

CLOSED-BACK SHOVELS

Large, forward-turned steps prevent material from spilling off rear of blade

#2 Round Point

#2 Square Point

Nursery Spade



SF 80000



SF 80020



SF 79000



SS 60000



SS 60020



SS 61000



SS 61020



SS 63010

Efficient Penetration in Dense
Soils/Cutting Roots



Lifting and Moving Loose
Materials



Breaking through Hard Clay,
Caprock & Coral



General Digging and Clean Out



HEAD & BLADE

FORGED Tempered Steel



14 GAUGE
Tempered Steel



HANDLE

Straight
Ash Wood

48 in

48 in

48 in

48 in

Straight
Solid-core Fiberglass

48 in

48 in

48 in

D-Handle
Steel / Ash Wood

30 in

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12
GAUGE

0.11"
7/64"

14
GAUGE

0.08"
5/64"

15
GAUGE

0.07"
9/128"

16
GAUGE

0.06"
1/16"

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


MAX CLOSED-BACK SHOVELS

STRENGTH & DURABILITY™

MAX CLOSED-BACK Drain Spades

- Sharpened blades for easy ground penetration and slicing through roots
- Tapered, round nose and slightly cupped blades for efficient digging of deep, round-bottom drains and trenches
- Blade is enamel-finished to protect against rust
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



Efficient Penetration in Dense Soils/Cutting Roots	●	●	●	●	●	●	●	●
Digging Trenches and Smaller Holes	●	●	●	●	●	●	●	●
HEAD & BLADE								
14 GAUGE Tempered Steel	●	●	●	●	●	●	●	●
 Drain Spade	16 in	16 in	16 in	16 in	14 in	14 in	14 in	14 in
HANDLE								
Straight Ash Wood	48 in				48 in			
Straight Solid-core Fiberglass			48 in				48 in	
D-Handle Steel / Ash Wood		30 in				27 in		
D-Handle Solid-core Fiberglass				30 in				27 in

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



MAX STANDARD SHOVELS



MAX STANDARD Shovels

- Sharpened blades for easy ground penetration and slicing through roots
- Large, forward-turned steps prevent material from spilling off rear of blade
- Extended widow's peak sockets with double rivets for stronger, secure connections
- Blade is enamel finished to protect against rust
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



SS 66000



SS 66010



SS 66020

#2 Round Point



SS 65000



SS 65010



SS 65020



#2 Irrigation Shovel

SS 65500



Roofer's Spade

SS 39000

Efficient Penetration in Dense Soils/Cutting Roots

Lifting and Moving Loose Materials

Efficient Removal of Shingles

HEAD & BLADE

14 GAUGE
Tempered Steel

14 GAUGE
Textured Epoxy Finish

Heavy-Duty Fulcrum Welded to Back for Added Leverage

Notched Blade

HANDLE

Straight
Ash Wood

Straight
Solid-core Fiberglass

D-Handle
Steel / Ash Wood

	●	●	●	●	●	●	
							●
	●	●	●	●	●	●	●
							●
							●
							●
	48 in			48 in		48 in	48 in
			48 in		48 in		
		30 in		30 in			

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11"
7/64"

14 GAUGE

0.08"
5/64"

15 GAUGE

0.07"
9/128"

16 GAUGE

0.06"
1/16"

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX SOIL REMOVAL THAT'S AHEAD OF THE CURVE.

NEW MAX Curved Trenching Shovel

Move soil with ease and efficiency during cleanup and digging. A 14 gauge curved steel blade helps hold and remove more soil than flat trenchers while also alleviating excessive bending, minimizing back and body stress.


MAX TRENCH SHOVELS



CORONA® offers industry correct, color-coded trenchers for digging new trenches & cleaning them out.

- Finish your job faster with heavy-duty 12-gauge tempered steel blades that outperform some lower gauge blades
- Quickly find the right-sized tool for the job with industry-standard head sizes and colors
- Work more efficiently with dual handle angles optimized for digging or clean-out. Choose from 35° and 28°
- Limited Lifetime Warranty

Sole Saver Step
REDUCES BOOT WEAR
WITH ROUNDED CORNERS




Curved General Purpose Trencher



General Purpose Trencher

Ideal Application: Digging & Cleaning
35 Degree Design Engineered For
Efficient Removal Loose Soil & Debris



Digging Trencher

Ideal Application: Efficient Digging
28 Degree Design Engineered To
Penetrate & Loosen Compacted Soil



HEAD & BLADE

HEAVY-DUTY 14 GAUGE



HEAVY-DUTY 12 GAUGE



BEVELED V-SHAPED BLADE



Slightly Cupped Blade
with Round, Tapered Nose

HANDLE

48 In
Ash Wood

SS 64103 SS 64104 SS 64105 SS 64106 SS 64303 SS 64304 SS 64305 SS 64306

48 In
Solid-core
Fiberglass

SS 64223 SS 64224 SS 64225 SS 64333 SS 64334 SS 64335

48 In Fiberglass
Hollow Core

SS 64714 SS 64715 SS 64123 SS 64124 SS 64125 SS 64126 SS 64323 SS 64324 SS 64325 SS 64326

35 degree is our most popular blade type; its sharper angle makes it easier to pick up loose soil and debris.
Ash replacement handles are available.

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX SCOOP SHOVELS

STRENGTH & DURABILITY



#12 Aluminum Scoop

#10 Aluminum Scoops

#12 Steel Scoop



Efficient Lifting
and Transferring
of Loose Materials

HEAD & BLADE

12 GAUGE
High Strength Aluminum

Extra Large Head

Non-Spark

Heavy-Duty
Mid Carbon Steel, Heat Treated

Corrosion Resistant

HANDLE

2X Varnish Coating

Straight
Ash Wood

D-Handle
Steel / Ash Wood

D-Handle
Solid-core Fiberglass

**REPLACEMENT PARTS
AVAILABLE**

	●	●	●	●	●
		●	●	●	
					●
	●	●	●	●	
					●
	●	●	●	●	
	●				
		48 in			
	31 in		30 in		30 in
				30 in	
		●	●	●	●

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12
GAUGE

0.11"
7/64"

14
GAUGE

0.08"
5/64"

15
GAUGE

0.07"
9/128"

16
GAUGE

0.06"
1/16"

LIGHTWEIGHT SHOVELS



Lightweight Shovels

- Steel collar for strong head-to-handle connection
- Sharpened blade edges on round point shovels
- Large, forward-turned steps for firmer footing
- Textured epoxy finish protects head against rust
- Limited Warranty



#2 Round Point

SS 30020



SS 30030



#2 Square Point

SS 31020



SS 31030



General Digging	●	●		
Lifting and Moving Loose Materials			●	●
HEAD & BLADE				
14 GAUGE Tempered Steel	●	●	●	●
HANDLE				
Straight/Non-Slip Cushion Grip Fiberglass Hollow Core	48 in		48 in	
D-Handle Fiberglass Hollow Core		30 in		30 in

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

DIY SHOVELS

DIY Shovels

- Steel collar for strong head-to-handle connection
- Sharpened blade edges on round point shovels
- Forward-turned steps for firmer footing
- Textured epoxy finish protects head against rust
- Limited Warranty

#2 Round Point



#2 Square Point



Multi-Purpose Mini Shovel




General Digging	●	●	●	●				●
Lifting and Moving Loose Materials					●	●	●	●
Excellent for Working in Tight Spaces while Kneeling								●
HEAD & BLADE								
15 GAUGE Tempered Steel	●	●	●	●	●	●	●	●
HANDLE								
Straight Hardwood	48 in				48 in			
Straight Fiberglass Hollow Core			48 in				48 in	
D-Handle Hardwood		30 in				30 in		26.75 in
D-Handle Fiberglass Hollow Core				30 in				

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



DIY Shovels

- Steel collar for strong head-to-handle connection
- Large forward-turned steps for firmer footing
- Textured epoxy finish protects head against rust
- Limited Warranty



Easily Penetrates Ground and Slicing Small Roots	●	●	●	●				
Efficient Digging of Deep, Round-Bottom Drains and Trenches					●	●	●	●
HEAD & BLADE								
14 GAUGE Tempered Steel	●	●	●	●	●	●	●	●
Rounded Blade Edge	●	●	●	●				
Slightly Cupped 16 In Blade with Round, Tapered Nose					●	●	●	●
HANDLE								
Straight Hardwood	48 in				48 in			
Straight Fiberglass Hollow Core with Steel Collar			48 in				48 in	
D-Handle Hardwood		30 in				30 in		
D-Handle Fiberglass Hollow Core with Steel Collar				30 in				30 in

VALUE SHOVELS All Value Tools carry a 1-year limited warranty

LIGHT-DUTY #2 ROUND POINT SHOVEL SS 10000 | 46 IN WOOD HANDLE

- 16-gauge tempered steel blade
- Round point allows easy penetration of a variety of materials

LIGHT-DUTY #2 SQUARE POINT SHOVEL SS 11000 | 46 IN WOOD HANDLE

- 16-gauge tempered steel blade
- Square-head design for efficient lifting and moving of loose material

LIGHT-DUTY FLORAL SHOVEL SS 47000 | 42 IN HARDWOOD HANDLE

- 16-gauge tempered steel blade
- Small 6 in x 8 in round point head design for easier use in gardens and tight spaces

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SCOOP SHOVELS

**EASTERN
SCOOP SHOVELS**

- General purpose scoops
- Level surfaces, use for clean up, moving or scraping debris
- Limited Warranty

#12 Plastic Scoops



SS 42001

SS 42011

#2 Aluminum Scoop

#2 Steel Scoops



SS 48248

SS 49100

SS 49234

Efficient Moving of Light Materials	●	●	●		
General Purpose				●	●
HEAD & BLADE					
Aluminum			● 11 in x 14 ½ in		●
Tempered Steel				● 11 ¼ in x 13 in	● 11 ¼ in x 13 in
Non-Spark	●	●	●		
Corrosion-Resistant	●	●	●		
HANDLE					
2X Varnish Coating for Weather Resistance			●		●
Straight Hardwood	48 in		48 in	48 in	
D-Handle Steel / Hardwood					34 in
D-Handle Hardwood		30 in			

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12
GAUGE

0.11"
7/64"

14
GAUGE

0.08"
5/64"

15
GAUGE

0.07"
9/128"

16
GAUGE

0.06"
1/16"

MAX

**Hercules Pattern
POST HOLE DIGGER
PD 60000**



- **Extra-heavy-duty, 10 gauge** tempered steel head for superior strength and long service life
- Sharpened blade edges easily penetrate ground, slice through small roots
- 48 in extra-thick Ash handles for durability and longer service life
- Square-to-round connection between handles and head prevents twisting
- Pivot point between blades optimally positioned to allow wider opening
- Lifetime Limited Warranty
- **REPLACEMENT HANDLES AVAILABLE**

**10
GAUGE STEEL**



**Atlas Pattern
POST HOLE DIGGERS**



PD 40020

POST HOLE DIGGER

48 IN FIBERGLASS HANDLE

- Fiberglass handles for best combination of weight and durability
- Heavy-duty 12 gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Ruler markings make gauging depth of hole an easy task
- Limited Warranty



PD 40000

POST HOLE DIGGER

48 IN HARDWOOD HANDLE

- Heavy-duty 12 gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Limited Warranty



**Square-to-round
connections between
head and handles
prevent twisting**

PD 20000

POST HOLE DIGGER

48 IN HARDWOOD HANDLE

- 14 gauge tempered steel head
- Limited Warranty



A close-up photograph of a person's arm holding a hammer with a red handle and a black head. The hammer is positioned diagonally across the frame, with the head pointing towards the top left. The background is a red brick wall. The person is wearing a dark grey t-shirt. The text 'CHOP. POUND. FRACTURE. PRY.' is overlaid in large, white, bold, sans-serif capital letters on the left side of the image.

CHOP. POUND. FRACTURE. PRY.

**AXES
HAMMERS
PICKS & MATTOCKS
HEAVY BARS**



MAX AXES

STRENGTH & DURABILITY

MAXFORGED | MICHIGAN AXE

AX 70020 | 34 IN SOLID-CORE FIBERGLASS HANDLE

- Forged, 3 ½ lb tempered steel head hardened for maximum strength
- Sharpened and polished blade edge, cuts cleaner and with less effort
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- Limited Lifetime Warranty



MAXFORGED | PULASKI ROOT GRUBBING TOOL

AX 71020 | 34 IN SOLID-CORE FIBERGLASS HANDLE

- Sharpened 3 ½ lb axe blade with steep bevel holds edge while cutting roots in soil
- Triangular-shaped mattock blade for excavating around large roots
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- 34 in solid-core fiberglass handle
- Limited Lifetime Warranty



MAX HAMMERS

STRENGTH & DURABILITY

- Break through concrete, asphalt, masonry or drywall... virtually any material, with durable forged, tempered steel heads
- Minimize deflections and finish your work faster with dual ground and polished convex striking faces
- Limited Lifetime Warranty

MAXFORGED | SLEDGEHAMMERS WITH SOLID-CORE FIBERGLASS HANDLES

ST 70020 | 4 LB HEAD | 15 IN HANDLE

ST 70021 | 8 LB HEAD | 32 IN HANDLE

ST 70023 | 10 LB HEAD | 32 IN HANDLE

ST 70024 | 12 LB HEAD | 34 IN HANDLE

ST 70025 | 16 LB HEAD | 34 IN HANDLE



MAXFORGED | DRILLING HAMMERS

ST 73003 | 3 LB HEAD

10 IN SOLID-CORE FIBERGLASS HANDLE

- Minimize deflections and finish your work faster with dual ground polished convex striking faces
- Limited Lifetime Warranty



MAX PICKS & MATTOCKS



Pick & Mattock Heads are hardened for maximum strength

- Heads connected through eye holes allowing easy replacement
- Your choice of Hickory wood handle with shock-absorbing Poly Guards or maximum strength solid-core fiberglass handle
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

MAXFORGED | RAILROAD PICK

PM 40000 | 36 IN POLY GUARD HICKORY HANDLE

- Points for fracturing rock and concrete
- Chisels for smoothing of rough edges and light prying

MAXFORGED | PICK MATTOCK

PM 41000 | 36 IN POLY GUARD HICKORY HANDLE

PM 74020 | 36 IN SOLID-CORE FIBERGLASS HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Points for fracturing, prying rock

MAXFORGED | CUTTER MATTOCK

PM 75020 | 36 IN SOLID-CORE FIBERGLASS HANDLE

PM 42000 | 36 IN POLY GUARD HICKORY HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Extra-sharp cutter blades for severing roots



Replacement Parts

MAX | 10 IN HICKORY HANDLE

43003-4 | FITS 3 LB DRILLING HAMMERS



MAX | 14 IN HICKORY HANDLE

40004-4 | FITS 4 LB SLEDGEHAMMERS



MAX | 36 IN HICKORY HANDLE

40001-4 | FITS 6-16 LB SLEDGEHAMMERS



MAXFORGED | RAILROAD PICK HEAD

40000-8



MAXFORGED | PICK MATTOCK HEAD

41000-8



MAXFORGED | CUTTER MATTOCK HEAD

42000-8



MAX | 36 IN SOLID-CORE FIBERGLASS HANDLE

73020-4



MAX | 36 IN POLYGUARD HICKORY HANDLE

41000-4



MAX | 36 IN HICKORY HANDLE

40000-4



MAX HEAVY BARS

MAXFORGED | SAN ANGELO BAR

BR 70090 | 14 LB | 60 IN

- Point for fracturing rock and concrete
- 2 in wide chisel edge for straight line concrete breaking, smoothing of rough edges and prying
- Limited Lifetime Warranty



MAXFORGED | WEDGE POINT BAR

BR 72090 | 18 LB | 60 IN

- 1 1/4 in wide head for better leverage and greater impact
- Limited Lifetime Warranty



MAXFORGED | PINCH POINT CROW BAR

BR 73090 | 18 LB | 60 IN

- 1 1/4 in wide pinch-point design places fulcrum close to object to be lifted, gives maximum leverage and enables lifting of objects from flat surfaces
- Limited Lifetime Warranty



MAXFORGED | DIGGING BAR

BR 71090 | 17 LB | 70 IN

- 2 3/8 in wide, thick blade for efficient digging in dense, heavy and rocky soils
- Tamp for compacting soils around fence posts, forms, etc.
- Limited Lifetime Warranty



MAXFORGED | LANDSCAPE BAR

BR 74090 | 32 LB | 69 IN

- Heavy-duty welded 2 7/8 in wide blade enables moving of large rocks and other extremely heavy landscape elements
- Large tamp, combined with weight of bar, enables maximum compaction of postholes and other landscape elements
- Limited Lifetime Warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

A close-up photograph of a person's leg in blue denim jeans. A hand is holding a red rasp against the fabric of the jeans. The background is blurred green foliage.

DEBURR. SHAPE. SMOOTH. SHARPEN.

FILES
RASPS



MAX FILES

STRENGTH & DURABILITY

SINGLE CUT PATTERN

With a single set of parallel, diagonal rows of teeth, single-cut files are often used with light pressure to produce a smooth surface finish or to put a keen edge on loppers, knives, shears or saws.

DOUBLE CUT PATTERN

The overcut and the finer upcut teeth are arranged diagonally in 2 opposing directions so material is removed on both the push and pull strokes. A DOUBLE CUT file is used with heavier pressure than a SINGLE CUT and removes material faster from the workpiece.

Mill Files



General purpose files for shaping steel or restoring sharp edges and where a smooth finish is important. Ideal for sharpening tools such as loppers, hedge shears, pruners, knives, spades, shovels, hoes, scrapers, etc. Good for polishing and deburring work on lathes.

- **Shape:** rectangular cross-section with parallel surfaces and tapered edges towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

BASTARD CUT ROUGH FINISH

LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
4 in			FE405504BCOBX
6 in		FE405506BC0CD	FE405506BCOBX
6 in	●	FE405506BC1CD	
8 in		FE405508BC0CD	FE405508BCOBX
8 in	●	FE405508BC1CD	
10 in		FE405510BC0CD	FE405510BCOBX
10 in	●	FE405510BC1CD	
12 in		FE405512BC0CD	FE405512BCOBX

SMOOTH CUT FINE FINISH

LENGTH	ERGO HANDLE	CARDED SKU#
6 in		FE405506SC0CD
8 in		FE405508SC0CD
10 in		FE405510SC0CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

Flat Files



BASTARD CUT ROUGH FINISH

LENGTH	ERGO HANDLE	CARDED SKU#
8 in	●	FE400108BC1CD
10 in		FE400110BC0CD
10 in	●	FE400110BC1CD

General purpose files for rapid removal or shaping of steel. High removal rate file for filing flat surfaces, sharp corners and shoulders as well as for deburring.

- **Shape:** rectangular cross-section with parallel surfaces and tapered edges towards the tip
- **Surfaces double cut and edges single cut**
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

Round Files



General purpose files for filing holes, large fillets and concave surfaces. For rapid removal or shaping of steel on concave surfaces

- **Shape:** round cross-section tapered towards the point
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty



BASTARD CUT ROUGH FINISH		
LENGTH	ERGO HANDLE	CARDED SKU#
6 in	●	FE400406BC1CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

Half Round Files



BASTARD CUT ROUGH FINISH		
LENGTH	ERGO HANDLE	CARDED SKU#
8 in	●	FE400308BC1CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

General purpose files for rapid removal or shaping of steel on concave, flat surfaces and large holes. Suitable for deburring work.

- **Shape:** half-round cross-section with edges and surfaces tapered towards the tip
- **Double cut**
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

Pipeliners File




For deburring and filing down welds in large pipes, other concave, convex and flat surfaces.

- **Extra-long:** convenient when working with tubes and pipes
- **Shape:** half-round cross-section with parallel edges
- **Double cut**
- **Choice of packaging:** boxed in bulk
- Limited Lifetime Warranty

BASTARD CUT ROUGH FINISH	
LENGTH	BOXED SKU#
14 in	PF400314BC0BX

Slim Taper Files



**SMOOTH CUT
FINE FINISH**

LENGTH	ERGO HANDLE	CARDED SKU#
6 in	●	FE404106SL1CD

OPTIONAL ERGO HANDLE




INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

For sharpening conventional saws blades with fine universal toothting. Ideal for sharpening saws with 60° angle saw teeth. Tapered point to file tight angles.

- **Shape:** triangular, with edges tapering towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display
- Limited Lifetime Warranty

Extra-Slim Taper Files



**SMOOTH CUT
FINE FINISH**

LENGTH	ERGO HANDLE	CARDED SKU#
6 in	●	FE404006XS1CD

OPTIONAL ERGO HANDLE




INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

For sharpening conventional saws blades with fine universal toothting. Ideal for sharpening saws with 60° angle saw teeth. Tapered point to file tight angles.

- **Shape:** triangular, with edges tapering towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display
- Limited Lifetime Warranty

Cantsaw Files



**BASTARD CUT
ROUGH FINISH**

LENGTH	BOXED SKU#
6 in	FE404506BC0BX
8 in	FE404508BC0BX
10 in	FE404510BC0BX

- **Shape:** triangular cross-section with parallel edges
- **Surfaces and edges single cut**
- **Choice of packaging:** boxed in bulk
- Limited Lifetime Warranty

For sharpening crosscut saws, circular saws and saw teeth with less than 60° angle.

Round Chainsaw Files



SMOOTH CUT FINE FINISH

LENGTH	CARDED SKU#	BOXED SKU#	BAGGED SKU#
6 x 1/8 in	CF425018SC0CD		
8 x 5/32 in	CF4050532SC0CD	CF4050532SC0BX	
8 x 3/16 in		CF4050316SC0BX	
8 x 7/32 in	CF4050732SC0CD		CF4050732SC0BG
8 x 1/4 in	CF405014SC0CD		

For sharpening cutters of saw chain.

- **Shape:** round and straight towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display, bagged or boxed in bulk
- Limited Lifetime Warranty

E mm	E in	E/2 = Pitch	Ø suitable file in in	Ø suitable file in mm
12,70	0.5 in	1/4 in	5/32 in	4,0
16,50	0.65 in	0.325 in	11/64 in - 3/16 in	4,5 - 4,8
18,64	0.75 in	3/8 in	13/64 in - 7/32 in	5,2 - 5,5
20,52	0.808 in	0.404 in	7/32 in	5,5
25,40	1 in	1/2 in	1/4 in	6,35
38,10	1.5 in	3/4 in	5/16 in	7,9

Handy File



BASTARD CUTS ROUGH FINISH

LENGTH	CARDED SKU#
8 in	HF106108ST0CD

Versatile general purpose file.

- **Single cut:** for fine filing of flat surfaces and for fine sharpening of tools and implements
- **Double cut:** for filing flat surfaces and for rough sharpening of edges on spades, hoes, mower blades, etc
- **Shape:** rectangular cross-section with parallel edges, one edge uncut
- **Surfaces and edges:** one side double-cut bastard, the other side single cut bastard. One edge single-cut, one edge uncut
- **Integral handle with hanging hole**
- **Choice of packaging:** individual hang cards for peg display
- Limited Lifetime Warranty

MAX RASPS

STRENGTH & DURABILITY

Farmer File




General purpose file for shaping metal or restoring sharp edges.

- Ideal for sharpening tools such as spades, shovels, hoes, scrapers, etc.
- **Shape:** rectangular cross-section with parallel edges
- **Surfaces and edges:** both sides single cut and both edges uncut
- Integral handle with hanging hole
- Limited Lifetime Warranty

**BASTARD CUT
ROUGH FINISH**

LENGTH	CARDED SKU#	
6 in	FF408206CD	

Half-Round Wood Rasp



For work in soft materials like wood, plywood, wallboard, plastics and other soft materials. Ideal for concave and flat surfaces and large holes.

- **Shape:** half-round cross-section with edges and surfaces tapered towards the tip
- **Type of cut:** medium
- Securely mounted ergonomic handle
- Individual hang card packaging for peg display
- Limited Lifetime Warranty

**RASP BASTARD CUT
ROUGH FINISH**

LENGTH	CARDED SKU#	
8 in	FR410108BC1CD	

ACCESSORIES



INTERCHANGEABLE ERGONOMIC FILE HANDLE

FA0001CD

- Our file handles are ergonomically designed, following the Corona® process to reduce muscle tension and the risk of injury. The hard polypropylene core, covered with a thermoplastic elastomer, provides a comfortable non-slip grip and the handle's smooth contours fit into the hand naturally. Includes a set of inserts to fit most Corona files.



MAX FILES & RASPS

STRENGTH & DURABILITY

Convenience Sets

A complete selection of different sets of files to cover most needs.

Sets in Pouches



ALL PURPOSE 3-PIECE QUALITY FILE SET

FS0004PP

- Three 6 in files
Round (Bastard Cut)
Mill (Bastard Cut)
Slim Taper
- Limited Lifetime Warranty



ALL PURPOSE 5-PIECE QUALITY FILE SET

FS0005PP

- Three 6 in bastard cut files
Mill
Half Round
Round
- Additional files
Slim Taper - 6 in
4 in 1 - 8 in
- Limited Lifetime Warranty

Assortments

Increase add-on sales now: popular file assortments with re-stockable displays



SHARPENING FILES WITH COUNTER DISPLAY

FE0003SA

- Includes four file types, six units each
Mill, Bastard Cut - 6 in
Mill, Bastard Cut - 8 in
Mill, Smooth Cut - 6 in
Mill, Smooth Cut - 8 in
- Compact display fits small spaces: 12 x 5 x 17 ½ in

These assortments are only available to dealers and distributors.

TWIST. EXTRACT. PROBE. TAMP.

CUTTING TOOLS
VALVE KEYS
WRENCHES
PROBES
TAMPS & POST DRIVERS
SCRAPERS
TRIMMERS
WEED CUTTERS & EDGERS





MAX PVC CUTTING TOOLS

MAX | PVC PIPE CUTTER

UT 65050

- Easy one-hand cutting with ratchet-action blade
- Replace the blade quickly by flipping up the tab, turning to release the blade
- Ergonomic handles with rubberized non-slip grips
- Use left- or right-handed
- Cuts schedule 40 PVC pipe
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 65050-1C - Replacement blade
 - 65050-3C - Pivot bolt, spring, washer



Change the blade quickly by flipping up the tab, turning to release the blade.

MAX | PVC HAND SAW

UT 65040

- Fine teeth cut PVC, plastics, laminates, wood and more
- High-carbon steel blade - 14 in long, 15 TPI, 16 PPI
- Oversized ergonomic handle with soft-touch grip for comfort
- Limited Lifetime Warranty



MAX | HACKSAW

UT 65030 | CUTS UP TO 4 1/2 IN

- 25% larger cutting capacity - cuts PVC pipes up to 4 1/4 in
- Two cutting angles - 90° and 55°
- High-speed steel blade - 12 in long, 24 TPI
- Large ergonomic handle
- Storage for 8 blades in the top bar
- Limited Lifetime Warranty
- **REPLACEMENT PART AVAILABLE**
 - 65030-1 - Replacement hacksaw blade (2 per card)



MAX EZ OUT TOOLS

MAX | 90° EZ OUTS

UT 65010 | 1 IN & 1 1/4 IN

UT 65020 | 1/2 IN & 3/4 IN

- Extractors to remove broken plastic riser stubs in irrigation systems
- Handles angled at 90° for easy access to tight areas
- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Limited Lifetime Warranty

U.S. Patent D540,632



MAX | EZ OUTS

UT 65001 | 1 IN & 1 1/4 IN

UT 65002 | 1/2 IN & 3/4 IN

- Extractors to remove broken plastic riser stubs in irrigation systems
- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Limited Lifetime Warranty

U.S. Patent D540,632



MAX VALVE KEYS

MAX | METER KEY

UT 62055 | 1 1/8 IN KEY SLOT | 30 IN SHAFT

- Opens and shuts standard meter valves
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handle for better leverage
- Limited Lifetime Warranty



MAX | METER KEYS

UT 62050 | 1/2 IN KEY SLOT | 29 3/4 IN SHAFT

UT 62051 | 3/4 IN KEY SLOT | 31 3/4 IN SHAFT

- For standard sprinkler and residential shut-off valves
- Heavy-duty all-steel construction for superior strength
- T-bar handles provide maximum leverage
- Limited Lifetime Warranty



UT 62050



UT 62051

MAX VALVE KEYS

STRENGTH & DURABILITY



MAX | HEAVY-DUTY SPRINKLER & VALVE KEY

UT 61000 | 3/8 IN DIAMETER PRONGS
WITH 1 1/2 IN OFFSET | 48 IN SHAFT

- 2-Prong head opens and shuts valves with cross and wheel handles
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handle for better leverage
- Limited Lifetime Warranty



VALVE KEYS



CORONA
SEASON AFTER SEASON


SPRINKLER KEY

UT 60054 | 54 IN OVERALL LENGTH

UT 60030 | 30 IN OVERALL LENGTH

UT 60007 | 7 IN OVERALL LENGTH

- Use to turn sprinkler control valves on or off with ease
- Steel construction with triangular heads for better leverage
- Sturdy 0.28 in diameter rods
- Two-prong heads are 1.1 in wide
- Limited Warranty



MAX WRENCHES

STRENGTH & DURABILITY

MAX | OPERATING WRENCH 3-IN-1

UT 69000

- Multifunctional; used to open gate valves, extends from 3 to 5 ft easily by releasing a snap button
- Includes 3 interchangeable heads with snap button lock store on the tool - 1, 1 1/8 and 2 in
- 2 in square key operates gate valves with a 2 in square operating nut
- T-bar handle design for better leverage, solid steel construction for durability
- Red color so it's easier to find on the job
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



**1/2 IN SQUARE
METER KEY HEAD**
69000-050



**1 IN VALVE
KEY HEAD**
69000-100



1 1/8 IN METER KEY HEAD
69000-118



**2 IN SQUARE
METER KEY HEAD**
69000-200



**83 1/2 IN SQUARE TUBING
EXTENDER BAR**
69000-835

- Converts UT 69000 to easily adjust deep valves. Snap button locks at 7, 8 or 9 ft depths.



MAX | OPERATING WRENCH

UT 62052 | 2 1/4 IN SQUARED KEY | 60 IN SHAFT

- Large squared key opens and shuts high-capacity gate valves
- Extra-long shaft reaches deeply set lines on commercial construction sites
- Heavy-duty all-steel construction for superior strength
- T-bar handle provides maximum leverage
- Limited Lifetime Warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX SOIL PROBES


STRENGTH & DURABILITY™

- Locate underground utilities and pipelines before digging
- Cushioned, non-slip T-bar handle for best control
- Limited Lifetime Warranty

MAX | STEEL SOIL PROBE

UT 64050 | 48 IN STEEL SHAFT

- High-quality welded steel construction for greater strength



MAX | FIBERGLASS SOIL PROBE

UT 64020 | 50 IN FIBERGLASS SHAFT

- Fiberglass for best combination of strength and weight
- Replaceable steel tip for long service life
- **REPLACEMENT PART AVAILABLE**
- 64020-64 - Replacement tip



MAX DIRT TAMPS

STRENGTH & DURABILITY™

- Heavy-duty steel construction for long service life
- ¼ in steel plate and gussets for maximum strength and even tamping
- Limited Lifetime Warranty



MAX | DIRT TAMP

UT 60053 | 10 IN X 10 IN | 58 IN ASH HANDLE

- 56% larger plate helps you finish your job faster than with standard 8 in squared plate

UT 60050 | 8 IN X 8 IN | 43 IN ASH HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials
- **REPLACEMENT PARTS AVAILABLE**
- 60050-4 - Wood handle and wedges



MAX | DIRT TAMP | ALL-STEEL

UT 60057 | 8 IN X 8 IN | 58 IN STEEL HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials

UT 60055 | 3 ½ IN X 12 IN | 58 IN STEEL HANDLE

- Ideal for tamping in trenches and tight spaces

MAX POST DRIVERS

STRENGTH & DURABILITY™

- Easily drive standard-sized square wooden stakes and steel posts into the ground
- Standard models feature two angled handles for best gripping position and control
- Long-reach model features one extended handle for driving posts close to ground level
- High-quality welded steel construction for long service life
- Limited Lifetime Warranty



MAX | POST DRIVER

UT 67002 | 27 LB

- 3 1/2 in squared hollow section



MAX | POST DRIVER

UT 67001 | 21 LB

- 2 1/2 in squared hollow section

MAX | POST DRIVER

UT 67003 | 22 LB | 65 IN HANDLE

- Long-reach 65 in handle - so no ladder is needed for installing taller posts
- 2 1/2 in squared hollow section



MAX SCRAPERS

STRENGTH & DURABILITY



MAXFORGED | SCRAPER/CHOPPER

UT 71000 | 54 IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 4 in wide for efficient digging, edging and root cutting
- Durable Ash wood handle 2X varnished for weather resistance
- Limited Lifetime Warranty



MAXFORGED | SIDEWALK SCRAPER

UT 70000 | 48 IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 7 in wide for efficient edging of sidewalks and ice chipping
- Durable Ash wood handle 2X varnished for weather resistance
- Limited Lifetime Warranty

MAX TRIMMERS

STRENGTH & DURABILITY



MAX | HEAD TRIMMERS

UT 66004 | 4 IN DIAMETER | 29 IN SHAFT

UT 66006 | 6 IN DIAMETER | 29 IN SHAFT

- Easily trims around sprinkler heads with serrated edges
- Two sizes cover a complete range of heads
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handles for better leverage
- Limited Lifetime Warranty

VALUE EDGERS & WEED CUTTERS

All Value Tools carry a 1-year limited warranty

HALF-MOON EDGER

UT 20000 | 48 IN WOOD HANDLE

- Semi-circular edging knife for straight, even edges and borders
- Tempered steel blade
- Large forward-turned steps for firmer footing

WEED CUTTER

UT 24000 | 14 IN BLADE | 30 IN WOOD HANDLE

- Used to trim tall grass and weeds around yards
- 14 in blade has serrations on each edge and cuts in either direction
- Blade is connected to handle with two bolts

DUAL WHEEL GRASS EDGER

UT 21000 | 6 IN BLADE | 48 IN WOOD HANDLE

- 6 in self-sharpening blade with an adjustable depth gauge
- Wide, dual treads for traction and easier handling on concrete

CLIP. TRIM. SAW. HACK.

HAND PRUNERS
HEDGE SHEARS
LOPPERS
PRUNING SAWS
MACHETES
TREE PRUNERS




MAX HAND PRUNERS


How to Pick the Right Size Pruner for Your Hand



SMALL HANDS
Wide: less than 3 1/4 inch
Height: less than 6 1/4 inch



MEDIUM HANDS
Wide: 3 1/2 to 4 inch
Height: 6 1/2 to 8 inch



LARGE HANDS
Wide: more than 4 inch
Height: more than 8 inch

MAXFORGED

STRENGTH & DURABILITY™

Forged tough. Proven performance. Season after season.

Experience the performance and durability of **MAXFORGED** tools with classic, simple designs that withstand the test of time. Agricultural and Landscaping Professionals' tool family of choice.



MAXFORGED | BYPASS PRUNERS


DualCUT

CUTS UP TO
1 in

BP 7100D

- **New Lock**
- The **PrecisionZONE** area of hook & blade is for quick, repetitive cuts on stems and smaller branches
- The **PowerZONE** area of hook & blade is for maximum-leverage cuts on branches up to 1 in
- Maximum strength forged technology
- No blade crossover with fully forged steel construction for strength
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Patents U.S. D660,104, 8,910,386
Canada 2,775,512



MAXFORGED | BYPASS PRUNERS

ProCUT

CUTS UP TO
1 in

BP 7200

- **New Lock**
- Replaceable, resharpenable Dual Arc™ blade
- Advanced blade technology and high-performance blade coating reduce cutting effort by 25% when compared to titanium-coated or non-coated blades
- Comfortable handle with contoured soft grip
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

U.S. Patents D660,104





MAXFORGED | BYPASS PRUNERS

NEW

ClassicCUT®

CUTS UP TO
1 in

BP15180

- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Comfortable handle with contoured non slip grips fit various hand sizes
- One handed lock operation
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | TWO-HANDED PRUNER

ClassicCUT®

CUTS UP TO
3/4 in

BP 3225D

- Lightweight, two-handed operation for easier cutting
- Forged, resharpenable bypass blade and hook
- Oval aluminum handles for greater comfort
- Handle length - 11 1/4 in
- Limited Lifetime Warranty



MAXFORGED | BYPASS PRUNERS

ClassicCUT®

CUTS UP TO
1 in

BP 3180D

- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS PRUNERS

ErgoACTION

CUTS UP TO
1 in

BP 3670

- Built-in sprinkler adjuster fits common nozzles
- Resharpenable, replaceable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - **3670-1C** - Replacement blade
 - **3670-91C** - Hardware kit - Pivot bolt and nut, spring, lock with screw and washer



U.S. Patent D652,272



MAXFORGED | BYPASS PRUNERS

ClassicCUT®

BP 3160 | CUTS UP TO 3/4 IN

BP 3130 | CUTS UP TO 1/2 IN

- Resharpenable high-carbon steel blades
- High-precision pivot bolts and locking nuts keep blades and hooks aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS PRUNERS

ErgoACTION

CUTS UP TO
3/4 in

BP 3640

- Resharpenable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Limited Lifetime Warranty

U.S. Patent D585,251

MAX HAND PRUNERS

STRENGTH & DURABILITY



MAXFORGED ALUMINUM Bypass Pruners

- Lightweight forged aluminum handles with non-slip grips
- High-carbon steel blades for lasting performance
- Easy access to tight areas with narrow profile hooks
- Geared pivot nuts permit precise blade adjustments
- Built-in wire cutters and sap grooves
- Volute springs resist clogging and maintain smooth cutting action
- Rubber bumpers absorb shocks
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6250

- Straight, non-angled head
- Blade and spring are interchangeable with Felco® 2*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6310

- Compact, great for smaller hands
- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 6*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 4250

- More affordable, heavier version of BP 6250
- Separate steel hook instead of one-piece aluminum hook
- Blade and spring fit Felco® 11*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6340

- For left handed users
- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 9*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 4840

- Unique rolling handle designed to reduce cutting effort and hand fatigue
- Blade interchangeable with Felco® 7*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6360

- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 8*



*Felco® is a registered trademark of Felco SA, Switzerland

HAND PRUNERS



BYPASS PRUNER

FlexDIAL™

with **ComfortGEL®** grip
BP 4214D

- Adjustable grip fits to hand size and reduces fatigue during repetitive cuts
- Anodized aluminum dial ranges from 1 for smaller hands to 8 for large hands
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty



Patents: U.S. D802,382, Canada 172123, 10,022,881



BYPASS PRUNER

DualLINK™

with **ComfortGEL®** grip
BP 4314D

- Dual compound lever provides added power with reducing cutting effort
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty

Patents: U.S. D802,381, Canada 172122



RATCHET PRUNER

RatchetCUT™

with **ComfortGEL®** grip
RP 4224D

- Ratchet action for easier, more comfortable multi-cuts through tough, thick branches
- 4-gear ratchet system
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty

Patents: U.S. D802,383, Canada 172120



ComfortGEL® Hand Pruners

- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Reduce hand fatigue with ShockGUARD® bumper system on some models



BYPASS PRUNER

NEW ComfortGEL®

BP 3324

- Bypass design for pruning live green growth and fruits and veggie vines
- Suitable for right- and left-hand use
- Build in thorn stripper for stems up to 3/4 in diameter
- Full Steel construction
- Limited Warranty



ANVIL PRUNER

NEW ComfortGEL®

AP 3334

- For pruning dead and dry woody growth.
- Brand & stem pruner with ComfortGEL® grips for superior comfort and less hand fatigue
- Non-stick blade
- Reduce hand fatigue with Shock Guard® bumper system
- Limited Warranty



BYPASS PRUNER

ComfortGEL®

BP 3214D

- Bypass design for pruning live, green growth
- Suitable for right- and left-hand use
- Reduced hand fatigue with ShockGUARD® bumper system
- Limited Warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HAND PRUNERS



ANVIL PRUNER

AP 3110 | CUTS UP TO 3/4 IN

- Anvil design for pruning dry and woody growth
- Steel body with non-stick coated steel blade
- Enclosed spring is protected from debris
- Lightweight, well-balanced design for extended use
- Textured grips for non-slip cutting comfort
- Limited Warranty



RATCHET PRUNER

RP 3230 | CUTS UP TO 3/4 IN

- Power-multiplying ratchet action for easy cutting
- Non-stick coated blade for smooth cutting and easy cleaning
- Suitable for right- and left-hand use
- Limited Warranty



ERGONOMIC BYPASS PRUNER

BP 4180 | CUTS UP TO 3/4 IN

- Lightweight pruner for general-purpose pruning
- Ergonomic, reinforced nylon handles
- Resharpenable, high-carbon steel blade
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



BYPASS PRUNER

Cut'n'HOLD LongREACH

LR 3460

- High-carbon steel blade and hook are fully heat-treated
- Overall length of 46 in allows reach to otherwise inaccessible areas
- Non-stick coated blade for easier cutting
- Adjustable foam grip provides balance and ease of use
- Cut 'n' hold feature holds stem until you release the grip
- Ergonomic grip for comfort
- Limited Warranty

CUTS UP TO
1 1/2 in



LONG REACH PRUNER

SwivelCUT

with **PowerGLIDE™** grip

TP 3206 | REACHES UP TO 62 IN

- Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62 in is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2.5 lb so you can prune trees, shrubs and roses all day
- PowerGLIDE™ comfort grip eliminates tangled ropes
- Limited Warranty

CUTS UP TO
1 1/4 in

MAX ACCESSORIES



MAX | LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- Limited Lifetime Warranty


ACCESSORIES



UNIVERSAL TOOL POUCH

AC 4510 | 5 IN

- Universal design fits hand pruners and folding saws up to 8 in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5 in
- Limited Warranty



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty



MAXFORGED | HEDGE SHEAR

NEW

ClassicCUT

HS15150 | 10 IN BLADES | 12 1/2 IN STEEL HANDLES

- Enhanced performance with large cuts due to patented blade and hook design - includes limb notch
- Resharpenable, forged alloy steel blades
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

SerratedBLADE

HS 6920 | 8 1/2 IN BLADES | 9 1/2 IN HARDWOOD HANDLES

HS 6930 | 8 1/2 IN BLADES | 20 IN HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Shock Stop® bumper
- Bolted-on hardwood handles with non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

SerratedBLADE

AH 6940 | 8 1/2 IN BLADES | 13 IN ALUMINUM HANDLES

AH 6950 | 8 1/2 IN BLADES | 21 IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

ResharpenableBLADE

HS 6960 | 10 IN BLADES | 9 1/4 IN HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch
- Shock Stop® bumper
- Bolted-on hardwood handles, comfortable non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

LimbNOTCH Blade

AH 6970 | 10 1/2 IN BLADES | 12 1/2 IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

ExtendableREACH

HS 3950 | 10 IN BLADES | 13 IN - 20 IN STEEL HANDLES

- Lightweight steel handles with comfort grips extend from 13 in to 20 in
- Forged, high-carbon steel blades for durability and strength
- Precision-made pivot bolt provides smooth cutting action
- Shock Stop® bumper reduces arm and shoulder fatigue
- Limited Lifetime Warranty



MAXFORGED | HEDGE SHEAR

DualCUT

HS 7140 | 10 IN BLADES | 12 1/2 IN STEEL HANDLES


- Enhanced performance with large cuts due to patented design - includes limb notch
- Easy to sharpen
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Patents U.S. D664,406, 8,910,386, Canada 2,775,512

HEDGE SHEARS

DualLINK™

Boosted power and reduced effort unite through DualLINK™ tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.



HEDGE SHEAR

DualLINK™

with ComfortGEL® grip

HS 4244 | 9 3/4 IN BLADES | 14 IN HANDLES

- Minimize cutting effort with DualLINK linkage - open handles less to cut more
- Steel handle
- Less fatigue with ShockGUARD® bumper system
- Limited Warranty

U.S. Patent D703,498



EXTENDABLE HEDGE SHEAR

DualLINK™

with ComfortGEL® grip

HS 4344 | 9 3/4 IN BLADES | 16 3/4 IN - 24 5/8 IN HANDLES

- Minimize cutting effort with DualLINK linkage - open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Aluminum outer handle, steel inner handle
- ComfortGEL® Hedge Shear
- Extendable handles with innovative locking mechanism
- Limited Warranty

U.S. Patent D703,498 and D712,230



EXTENDABLE HEDGE SHEAR

NEW

ComfortGEL®

HS 3344 | 9 IN BLADES | 16 3/4 IN - 24 5/8 IN HANDLES

- Extendable handles with innovative locking mechanism
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with Shock Guard® bumper system
- Limited Warranty



HEDGE SHEAR

ComfortGEL®

HS 3244 | 9 IN BLADES | 13 IN HANDLES

- Lightweight steel handles with comfort grip
- Specially coated non-stick blades provide maximum cutting
- Reduced hand fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically shaped grips
- Limited Warranty



HEDGE SHEAR

HS 3911 | 8 1/2 IN BLADES | 9 1/2 IN HARDWOOD HANDLES

- Resharpenable steel alloy blades
- Fully heat-treated for strength
- Limb notch for larger branches
- Top-grade hardwood handles
- Comfortable non-slip grips
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**

VALUE HEDGE SHEAR All Value Tools carry a 1-year limited warranty

HEDGE SHEARS

AH 4220 | COMPOUND ACTION | 9 IN BLADES | 11 1/2 IN HANDLES

- Compound cutting action
- Steel blades - one serrated, one non-stick coated
- Aluminum handles with plastic grip

MAX GRASS SHEARS

STRENGTH & DURABILITY



MAXFORGED | GRASS SHEAR

ClassicCUT®

GS 6750D

- Cuts tough sod and ground cover
- Professional cutting action
- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Comfortable, non-slip grip
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



PUMP-ACTION GRASS SHEAR

GS 3760

- Hard, chrome-plated, high-carbon steel blades are fully heat-treated
- Adjustable tension control for maximum shearing
- Steel body construction
- Foam grip for comfortable use
- Limited Warranty



SWIVEL GRASS SHEAR

GS 3750D

- Versatile three-position blade - vertical for edging, horizontal for trimming, angled for hard-to-reach areas
- Precision-ground, high-carbon steel blades
- Durable chrome plating
- Easy-to-set thumb lock
- Limited Warranty

GRASS SHEARS

Choose Your Lopper	MAXFORGED		
	PRO/Master Gardener	DIY	Value
	MAXFORGED LOPPERS	LOPPERS	VALUE LOPPER
PRICE LEVELS	\$ \$ \$	\$ \$	\$
KEY ADVANTAGE	Durability and Performance	Ease-of-Cut	Cost
MAX CUT CAPACITY	1 1/4 in to 3 in	1 1/4 in to 1 3/4 in	1 1/2 in
INTENSITY OF USE	High	Average	Low
FREQUENCY OF USE	Daily	Weekly	Monthly or Less
WARRANTY	LIMITED LIFETIME WARRANTY	LIMITED WARRANTY	1-YEAR WARRANTY

Determine Maximum Cut Capacity

- What is the largest diameter you are considering cutting?
- Not every branch is suitable for cutting with a lopper
- Consider the hardness of the branch
 - Bypass loppers are best for cutting green, live branches
 - A High-Torque Bypass Lopper can cut hard or frozen branches
 - Anvil loppers are best for cutting dry or hard branches
- Consider your own physical condition, ability and experience
- Be safe: use a saw if a branch is too big or too hard to cut

Determine Intensity and Frequency of Use

- Professionals can continuously make thousands of large cuts a week: all Corona® MAXFORGED loppers offer Limited Lifetime Warranties and most offer extensive replacement parts to get the job done, season after season
- Landscaping enthusiasts, casual gardeners and homeowners can make hundreds of moderate-sized cuts a month maintaining their yards and gardens: Corona® RED loppers feature design innovations that can make cutting easier and more comfortable



MAXFORGED | BYPASS LOPPER

DualLINK™

SL 8180 | 31 IN | STEEL HANDLES

- Boosted power and reduced effort unite through DualLINK™ tools, that utilize a power-compounding link feature that appeals to both engaged gardeners and landscapers searching for ease-of-cut.
- Fully forged steel construction for strength
- Easy to resharpen
- Comfortable handle with contoured soft grip, fits various hand sizes
- Less fatigue with ShockGUARD® bumper system
- No-fail metal end cap
- Limited Lifetime Warranty

Patents U.S. D802,384, Canada 172120



MAXFORGED | BYPASS LOPPER

ClassicCUT®

SL15167 | 31 IN | STEEL HANDLES

- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPER

DualCUT

SL 7180 | 31 IN | STEEL HANDLES

- Enhanced performance with large cuts due to patented blade and hook design
- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Patents U.S. D664,406, 8,910,386, Canada 2,775,512



MAXFORGED | BYPASS LOPPER

ProCUT®

SL 7280 | 31 IN | STEEL HANDLES

- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

U.S. Patents D664,406

*Blade technology and high-performance coating reduce cutting effort by 25% when compared to titanium or non-coated blades

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX LOPPERS

STRENGTH & DURABILITY

STEM, BRANCH & LIMB PRUNING

LASTING PERFORMANCE SINCE 1928



MAXFORGED | BYPASS LOPPER **NEW**

ClassicCUT

CUTS UP TO
2 in

AL15150 | 42 IN | ALUMINUM HANDLES

AL15149 | 36 IN | ALUMINUM HANDLES

AL15148 | 32 IN | ALUMINUM HANDLES

AL15147 | 26 IN | ALUMINUM HANDLES

- Resharpenable forged Radial Arc® bypass blade
- Fully heat-treated steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning bolt
- Lightweight, high-strength elliptical aluminum handles
- Shock Stop® bumper
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HIGH-PERFORMANCE ORCHARD LOPPERS

DualARC™

CUTS UP TO
2 1/4 in

AL 8442 | 26 IN | ALUMINUM HANDLES

AL 8462 | 32 IN | ALUMINUM HANDLES

AL 8482 | 36 IN | ALUMINUM HANDLES

- Resharpenable forged steel blades
- Dual Arc™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength elliptical aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | VINE LOPPER

ClassicCUT

CUTS UP TO
1 1/4 in

AL 8350 | 20 IN | ALUMINUM HANDLES

- Resharpenable, replaceable Radial Arc® bypass blade
- Fully heat-treated forged steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- Overall length 20 in
- Shock Stop® bumper
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HIGH-TORQUE BYPASS LOPPER

RadialARC

CUTS UP TO
2 in

AL 6512 | 26 IN | ALUMINUM HANDLES

- Resharpenable forged steel Radial Arc® blade
- Forged steel hook with self-cleaning sap groove
- Prune frozen branches and dead wood with high-torque cutting action
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | VINE LOPPER

ClassicCUT

CUTS UP TO
1 1/2 in

AL 8360 | 20 IN | ALUMINUM HANDLES

- Resharpenable, replaceable Radial Arc® bypass blade
- Fully heat-treated forged steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- Overall length 20 inches
- Shock Stop® bumper
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPERS

ClassicCUT

CUTS UP TO
2 1/4 in

WL 6420 | 26 IN | HICKORY HANDLES

WL 6450 | 32 IN | HICKORY HANDLES

WL 6470 | 36 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HIGH-PERFORMANCE VINE LOPPERS

DualARC™

CUTS UP TO
1 1/4 in

AL 8311 | 16 IN | ALUMINUM HANDLES

AL 8321 | 19 IN | ALUMINUM HANDLES

- Resharpenable forged steel blades
- Dual Arc™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPERS

ClassicCUT

CUTS UP TO
1 1/2 in

WL 6320 | 20 IN | HICKORY HANDLES

WL 6350 | 26 IN | HICKORY HANDLES

WL 6370 | 30 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

MAX LOPPERS

STRENGTH & DURABILITY



MAXFORGED | BYPASS LOPPER

ClassicCUT®

WL 6310 | 20 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

CUTS UP TO
1 1/4 in



MAXFORGED | BYPASS LOPPERS

SuperDUTY

WL 6490 | 37 IN | HICKORY HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Tapered Hickory wood handles
- Eyelet for shoulder harness attachment
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

CUTS UP TO
3 in



MAXFORGED | BYPASS LOPPERS

SuperDUTY

SL 6500 | 32 IN | STEEL HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Comfortable grips
- Limited Lifetime Warranty


CUTS UP TO
3 in

LOPPERS



DualLINK™

Boosted power and reduced effort unite through DualLINK™ tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.



BYPASS LOPPER

DualLINK™

with **ComfortGEL®** grip

SL 4264 | 31 IN | STEEL HANDLES

- Minimize cutting effort with DualLINK™ linkage - open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Strong and lightweight metal handles
- Extreme comfort grips
- Limited Warranty

U.S. Patents D726,523

CUTS UP TO
1 3/4 in



EXTENDABLE BYPASS LOPPER

DualLINK™

with **ComfortGEL®** grip

SL 4364 | 29 1/2 - 37 1/2 IN | STEEL HANDLES

- Extendable handles with innovative locking mechanism
- Aluminum outer handle, steel inner handle ComfortGEL® Bypass Lopper
- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically-shaped grips
- Limited Warranty

U.S. Patents D726,523 & D712,230

CUTS UP TO
1 3/4 in

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LOPPERS



BYPASS LOPPER **NEW**

ComfortGEL®

CUTS UP TO
1 1/2 in

SL 3364 | 29 - 37 1/2 IN | STEEL HANDLES

- Extendable handles with innovative locking mechanism. Extend from 29 to 37 1/2 in.
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with Shock GUARD® bumper system
- Limited Warranty



BYPASS LOPPER

ComfortGEL®

CUTS UP TO
1 1/2 in

SL 3264 | 30 IN | STEEL HANDLES

- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically-shaped grips
- Limited Warranty



BYPASS LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

AL 4110 | 28 IN | ALUMINUM HANDLES

- Resharpenable, non-stick coated steel blade
- Lightweight, aluminum handles
- Ergonomic, non-slip grips
- Limited Warranty



ANVIL LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

FL 3420 | 31 IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated steel blade for cutting dead wood
- Replaceable blade and anvil
- 24-in fiberglass handles
- Extra-long foam grips for comfort - 6 in
- Limited Warranty



BYPASS LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

FL 3460 | 32 IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- Extra-long foam grips for comfort - 8 in
- Limited Warranty



EXTENDABLE BYPASS LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

FL 3470 | 25 1/2 - 28 1/2 IN FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- Extra-long foam grips for comfort - 6 in
- Limited Warranty



BYPASS LOPPER

Resharpenable

CUTS UP TO
1 1/2 in

SL 4150 | 29 IN | ALUMINUM HANDLES

- Resharpenable steel blade
- Lightweight aluminum handles with non-slip grips
- Shock Stop® bumper
- Limited Warranty



BYPASS LOPPER

Resharpenable

CUTS UP TO
1 1/2 in

WL 3351 | 26 IN | HARDWOOD HANDLE

- Resharpenable steel blade
- Hardwood handles
- Limited Warranty

VALUE LOPPERS All Value Tools carry a 1-year limited warranty

BYPASS LOPPER

SL 3310 | 9 1/2 IN | STEEL HANDLES | CUTS UP TO 1 1/2 IN

- Resharpenable steel blade
- Tubular steel handles
- Bumper

MAX MACHETES

STRENGTH & DURABILITY



MAX | MACHETES

NEW

ErgoHANDLE

MA 60062 | 22 IN

- For quick and powerful cleaning of tangled, dense brush
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988



MAX | CORN KNIFE

NEW

ErgoHANDLE

MA 62060 | 18 IN

- Swift clearing of corn stalks and brush
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Ergonomically balanced handle with built-in hand stop
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988



MAX | MACHETES

NEW

ErgoHANDLE

MA 60061 | 18 IN

- Tough tempered steel retains sharpness
- Easy to resharpen
- Ergonomically balanced with blade length
- Lanyard attachment hole
- Built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988



MAX | CANE KNIFE

NEW

ErgoHANDLE

MA 61060 | 14 IN

- Quickly cuts cane and similar plants' stalks
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Ergonomically balanced handle with built-in hand stop
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988

MAX PRUNING SAWS

STRENGTH & DURABILITY



QuickSAW®

- Exert less force with QuickSAW's tapered, friction-minimizing blade that cuts up to 2.5X faster than conventional saws
- Maintain sharpness and eliminate tooth snaps with electromagnetically hardened tips
- Stays sharp over thousands of strokes thanks to the same superior grade steel as advanced tactical knives
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | PRUNING SAW

QuickSAW®

QS 7900 | 13 IN BLADE

7900-1 | REPLACEMENT BLADE

- For large branches
- QuickSAW® GRIPS dampen vibrations, providing superior control when wet or dry, and with or without gloves
- Secure, well-controlled cuts thanks to a unitary blade design with a full tang that extends through the entire handle
- Limited Lifetime Warranty



MAX | FOLDING SAW

QuickSAW®

QS 7800 | 7 IN BLADE

7800-1 | REPLACEMENT BLADE

- For small to medium branches
- QuickSAW® GRIPS dampen vibrations, providing superior control when wet or dry, and with or without gloves
- Lightweight, high-strength aluminum handle and release button
- Limited Lifetime Warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

STEM, BRANCH & LIMB PRUNING

LASTING PERFORMANCE SINCE 1928

MAX PRUNING SAWS

RazorTOOTH Saw®

- Each RazorTOOTH Saw® blade goes through 4 manufacturing processes for maximum durability and hardness, friction reduction, and making extremely fast and efficient cutting.
- Saw blade with triple-ground impulse-hardened teeth for 2x more material removed per stroke.
- SK5 steel blade contains more carbon which means harder steel, allowing blade to stay sharper longer.
- Chrome-plated blade reduces friction and improves efficiency.
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | FOLDING SAW

RazorTOOTH Saw®

RS16120 | 7 IN BLADE **NEW**
16120-1 | REPLACEMENT BLADE

- Cuts small to medium branches up to 3 in diameter
- Rubberized non-slip grip provides comfort over extended use
- Easy-to-lock folding blade conceals teeth and prevents injury when not in use



MAX | FOLDING SAW

RazorTOOTH Saw®

RS16150 | 10 IN BLADE **NEW**
16150-1 | REPLACEMENT BLADE

- Cuts small to medium branches up to 6 in diameter
- Rubberized non-slip grip provides comfort over extended use
- Easy-to-lock folding blade conceals teeth and prevents injury when not in use

U.S. Patent D513,956



MAX | FOLDING SAW

RazorTOOTH Saw®

RS 7041 | 7 IN BLADE
AC 7041 | REPLACEMENT BLADE

- Cuts small to medium branches up to 3 in diameter
- Cushioned, pistol-grip handle with finger hook
- Positive open/close blade lock
- Convenient hanging hole



MAX | FOLDING SAW

RazorTOOTH Saw®

RS 7255 | 8 IN BLADE
7255-1 | REPLACEMENT BLADE

- Cuts small to medium branches up to 4 in diameter
- Ergonomic comfortable grip

U.S. Patent D513,956



MAX | RAKER SAW

RazorTOOTH Saw®

RS16290 | 21 IN BLADE **NEW**
7160-4 | REPLACEMENT HANDLE

- Cuts medium to large branches up to 13 in diameter
- Self-cleaning raker tooth pattern
- Large gullets expel more material, prevent clogging
- Non-slip ergonomic D-shaped handle for comfortable grip over extended use

MAX PRUNING SAWS

STRENGTH & DURABILITY



MAX | PRUNING SAW

RazorTOOTH Saw®

RS16020 | 14 IN BLADE **NEW**

16020-1 | REPLACEMENT BLADE

- Cuts medium branches up to 8 in diameter
- Rubberized non-slip grip provides comfort over extended use



MAX | PRUNING SAW

RazorTOOTH Saw®

RS 7120 | 13 IN BLADE

7100-1 | REPLACEMENT BLADE

- Cuts medium to large branches up to 7 in diameter
- Cushioned, pistol-grip handle with finger hook



MAX | PRUNING SAW

RazorTOOTH Saw®

RS 7510D | 18 IN BLADE

- Cuts large branches up to 10 in diameter.
- Ergonomic, non-slip D-handle designed for gloved or 2-handed operation

U.S. Patents D823,661

PRUNING SAWS



GENERAL PURPOSE FOLDING SAW

RS 4040 | 7 IN BLADE

- Cuts faster and cleaner than conventional saws
- Blade locks open and closed
- Non-slip handle
- Limited Warranty



GENERAL PURPOSE FOLDING SAW

RS 4060 | 7 IN BLADE

- For medium to large roots and small branches
- Cuts on both the push and pull stroke
- Aggressive tooth design for fast cuts
- Hard, chrome-plated blade
- Ergonomic poly handle
- Limited Warranty

VALUE PRUNING SAWS

All Value Tools carry a 1-year limited warranty

FOLDING SAWS

PS 4040 | 8 IN BLADES

PS 4050 | 10 1/2 IN BLADES

- For small to medium branches
- Conventional curved-steel blades
- Wood handles

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX TREE PRUNERS

RazorTOOTH Saw® Tree Pruners

- Saw blade with triple-ground impulse-hardened teeth for 2.5x more material removed per stroke.
- Chrome-plated blade reduces friction and improves efficiency.
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | DUAL COMPOUND ACTION TREE PRUNER

RazorTOOTH Saw®

TP 6870 | 13 IN BLADE | REACHES UP TO 14 FT

- RazorTOOTH Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty chain drive

- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1 1/4 in
- Exclusive Powerglide™ rope pull system for smooth action
- Overall length extends up to 14 ft with twist-lock adjustment
- Comfortable 28 in foam grip



MAX | DUAL COMPOUND ACTION ARBORIST TREE-PRUNING SYSTEM

RazorTOOTH Saw®

TP 6881 | 16 IN BLADE | REACHES UP TO 12 FT

- 16 in RazorTOOTH Saw® blade and quick-connect ferrule
- Heavy-duty forged steel hook and Radial Arc™ blade with 1 1/2 in diameter cutting capacity

- Compound action, dual pulley system triples your cutting power
- Two six-ft high-strength fiberglass pole sections can be combined or used separately with saw and pruning head
- System includes two poles, saw blade and pruning head as shown below



MAX | DUAL COMPOUND ACTION TREE PRUNER

RazorTOOTH Saw.

TP 6830 | 13 IN BLADE | REACHES UP TO 12 FT

- Razor Tooth Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty rope drive

- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1 1/4 in
- Exclusive Powerglide™ rope pull system for smooth action
- Overall length extends up to 12 ft with twist-lock adjustment
- Comfortable 28 in foam grip
- **REPLACEMENT PARTS AVAILABLE**



TREE PRUNERS

TREE SAW AND COMPOUND ACTION PRUNER WITH ROPE DRIVE

DualLINK™

TP 4210 | 12 IN BLADE | REACHES UP TO 10 FT

TP 4212 | 12 IN BLADE | REACHES UP TO 12 FT

TP 4214 | 12 IN BLADE | REACHES UP TO 14 FT

TP 4216 | 12 IN BLADE | REACHES UP TO 16 FT

- Pruning head with DualLINK™ and non-stick blade for cuts up to 1 in
- Tempered steel triple-ground saw blade
- Overall length extends with twist-lock adjustment
- Rope drive activation
- Tree pruner with 12 in conventional saw blade
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



DUAL COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3841 | 15 IN BLADE | REACHES UP TO 12 FT

- Tempered steel conventional saw blade
- Pruning head with 3X cutting power features a compound action pulley system and rope drive
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1 in
- Overall length extends up to 12 ft with twist-lock adjustment
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3714 | 15 IN BLADE | REACHES UP TO 14 FT

- Die-cast zinc alloy pruning head with non-stick blade and rope drive cuts up to 1 in
- Compound-action pulley system triples your cutting power
- Tempered steel conventional saw blade
- Overall length extends up to 14 ft with twist-lock adjustment
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



LONG REACH PRUNER

SwivelCUT

with **PowerGLIDE™** grip

TP 3206 | REACHES UP TO 62 IN

- Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62 in is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2.5 lb so you can prune trees, shrubs and roses all day
- PowerGLIDE™ comfort grip eliminates tangled ropes
- Limited Warranty



MAX TREE PRUNER COMPONENTS

STRENGTH & DURABILITY™



MAXFORGED | PROFESSIONAL TREE PRUNER HEAD

6880-8

- Compound action, dual rope-pull system triples your cutting power
- Heavy-duty forged steel hook and Radial Arc® blade with 1½ in diameter cutting capacity
- Thickest, most weather-resistant polypropylene pull rope and wood grip
- Built-in ferrule fits TP 6881 poles snap-button
- Can also be attached to other 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Limited Lifetime Warranty



MAX | BYPASS PRUNERS

AC 9000

3X cutting power with compound action pulley system
Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1¼ in
Exclusive PowerGLIDE™ rope-pull system for smooth action
Convertible-action pulley system converts from compound to direct pull, giving workers a choice between faster cutting or less required force
Includes pivot bolt for mounting AC 7241 RazorTOOTH Saw® tree

pruner blade (sold separately, see page 83)
Built-in ferrule can be attached to 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
Limited Lifetime Warranty



MAX | TREE PRUNER SAW HEAD

AC 9100

Strong and lightweight aluminum casting for rugged, all-day tree care service
Double-curved hook design optimized for pulling branches, raising lines and guiding tree fall
Built-in utility loop for attaching ropes, carabiners and for easy storage

Blade-mounting system fits popular tree pruner blades by Corona® and other brands, such as Razor Tooth Saw® AC 7240 and QuickSaw® AC series blades (sold separately, see page 83)
Can be attached to 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
Limited Lifetime Warranty



MAX | TREE PRUNER DIRECT-CONNECT ADAPTER

AC 9200

Simple, lightweight design connects tree pruner saw blades to wood and fiberglass poles
High-strength aluminum tube mounts onto 1¼ in diameter poles by drilling holes in pole and fastening with included screws and bolts

Slotted end with wooden inner plug fits Corona® blades AC 9010 and AC 9020, as well as other brands
Limited Lifetime Warranty

MAX TREE PRUNER SAW BLADES

STRENGTH & DURABILITY



QuickSAW® Replacement Blades

- Cut 2.5X faster than conventional saws
- Stay sharp over thousands of strokes thanks to the same superior-grade steel as advanced tactical knives
- Cut faster and exert less force with friction-minimizing tapered blade
- Fits CORONA® AC 9100 and standard tree pruner saw heads for arborists
- Limited Lifetime Warranty

MAX | TREE PRUNER BLADE

AC 7990 | 13 IN BLADE

- Fits most standard tree pruner heads



MAX | TREE PRUNER BLADE

AC 7991 | 13 IN BLADE | 1 HOOK

- Save time with a sharpened front hook that avoids blade pull-out, keeps it inside the cut channel



MAX | TREE PRUNER BLADE

AC 7992 | 13 IN BLADE | 2 HOOKS

- Minimize exposure to disease-causing bacteria with rear hook for undercuts that prevent peeling bark



RazorTOOTH Saw® Replacement Blades

- 2X faster cut with RazorTOOTH Saw® technology
- 3-sided impulse-hardened teeth stay sharp longer
- Chrome-plated blades reduce friction and improves efficiency
- SK5 steel blade contains higher carbon which means harder steel, allowing blade to stay sharper longer
- Limited Lifetime Warranty

MAX | TREE PRUNER BLADE

AC 7242 | 12 IN BLADE

- Fits Corona® TP 3714 and other tree pruners



MAX | TREE PRUNER BLADE

AC 7240 | 13 IN BLADE

- Fits Corona® TP 3714 and standard tree pruner saw heads for arborists



MAX | TREE PRUNER BLADE

AC 7241D | 13 IN BLADE

- Fits Corona® TP 6870, TP 6830



MAX | TREE PRUNER BLADE

AC 7610 | 16 IN BLADE

- Tang design fits Corona® TP 6881 and AC 9200



MAX | BLADE AND MOUNTING FERRULE

AC 7672 | 16 IN BLADE

- Built-in ferrule fits TP 6881 poles snap-button system
- Can also be attached to other 1 1/4 in diameter poles by drilling holes in pole and adding fasteners (not included)



MAX | TREE PRUNER BLADE

AC 9020 | 17 IN BLADE

- Tang design fits Corona® AC 9200
 - Integral hook shape for pulling branches from trees
- Last chance - Limited quantities available



VALUE REPLACEMENT BLADES

All Value Tools carry a 1-year limited warranty

CONVENTIONAL SAW TREE PRUNER BLADE

AC 9010 | 17 IN BLADE

- Tang design fits Corona® AC 9200
 - Curved, tempered steel saw blade
- Last chance - Limited quantities available

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SNIP. SHEAR. THIN. HARVEST.

SHEARS
SNIPS
HYDROPONIC TOOLS
FLORAL SHEARS
FRUIT PICKERS



MAX SHEARS & SNIPS

STRENGTH & DURABILITY



Since the early 1920s, when other manufacturers were settling for stamped or cast tools, CORONA® has been forging high-quality, classically designed agricultural shears and snips that deliver superior performance and reliability. Generations later, these same tools are shearing California grape vines, pruning lemon, orange and avocado trees in the Southwest, apples in the Northwest, Midwest and East, while clipping, plucking and shaping landscapes around the world.

MAXFORGED | CITRUS SHEARS | BYPASS **NEW**

AG 5020

- Designed for rapid, high-volume lemon and citrus harvesting
- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- 2 blade design for less interference during harvesting
- Non-slip grips
- Includes synthetic strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5060-42 - Synthetic Strap



MAXFORGED | ORANGE SHEAR | BYPASS **NEW**

AG 5060

- Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Specially designed to sever fruit cleanly from fruiting spur
- Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes synthetic strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5060-42 - Synthetic Strap



MAXFORGED | ORANGE SHEAR | ANVIL

AG 5050

- Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Specially designed to sever fruit cleanly from fruiting spur
- Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes leather strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5060-42 - Synthetic Strap



MAXFORGED | GRAPE SHEAR

AG 5030 | 2 1/5 IN BLADES

- Designed for rapid, high-volume grape harvesting and thinning
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Special curved blades cut hard-to-reach stems
- Non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | AVOCADO SHEAR

AG 5040

- Designed for rapid, high-volume harvesting of avocados, mangos, persimmons, tomatoes and other delicate fruits
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Non-slip grips
- Includes leather strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5060-42 - Synthetic Strap



MAXFORGED | LEMON SHEAR

AG 5010

- Designed for rapid, high-volume lemon and lime harvesting
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- Close-tolerance pivot bolt
- Includes leather strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5060-42 - Synthetic Strap



SYNTHETIC STRAP

5060-42

- Use with AG 5060, AG 5050, AG 5040 or AG 5010

MAX | STAINLESS STEEL SHORT STRAIGHT SNIPS

AG 4910SS | 1 IN BLADES

- Short, straight, blunt-nosed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | STAINLESS STEEL LONG CURVED SNIPS

AG 4940SS | 1 3/4 IN BLADES

- Designed for picking and field-dressing grape bunches
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | STAINLESS STEEL LONG STRAIGHT SNIPS

AG 4930SS | 1 3/4 IN BLADES

- Long, straight, pointed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | STAINLESS STEEL SHORT CURVED SNIPS

AG 4920SS | 1 IN BLADES

- For use in harvesting apples, pitted fruits and berries
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | CURVED GRAPE SNIPS

AG 4980SS | 2 IN BLADES

- Designed primarily for harvesting table grapes
- Heat-treated stainless steel curved blades
 - Corrosion-resistant for better durability and performance
 - Can be sterilized or disinfected to prevent cross contamination
 - Sap release prevents blades from sticking
 - Speed up harvesting production
- Non-slip grips for better control
- Double-sided thumb lock for left- or right-hand use
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



SHEARS & SNIPS

SHORT STRAIGHT SNIPS

AG 4910 | 1 IN BLADES

- Short, straight, blunt-nosed blade for a wide range of applications
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



SHORT CURVED SNIPS

AG 4920 | 1 IN BLADES

- For use in harvesting apples, pitted fruits and berries
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



LONG STRAIGHT SNIPS

AG 4930 | 1 3/4 IN BLADES

- Long, straight, pointed blade for a wide range of applications
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



LONG CURVED SNIPS

AG 4940 | 1 3/4 IN BLADES

- Designed for picking and field-dressing grape bunches
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



HYDROPONIC TOOLS

HYDROPONIC FINGER MICRO SNIPS

FS 4110 | 1 1/4 IN BLADES

- Sharp stainless steel blades and tip allows for precision cutting
- Handle and blade can be sterilized to limit cross contamination
- Spring in the handle helps to open the blades after each cut
- Durable ABS-plastic handle for lightweight comfort and performance
- Large finger hole in the handle for comfort with push-button thumb lock for safety
- Limited Warranty



HYDROPONIC MICRO SNIPS

FS 4120 | 2 5/16 IN BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Durable handle with soft-touch feel for lightweight comfort and performance
- Double-sided lock for left- or right-hand use
- Adjustable pivot bolt for personal comfort
- Limited Warranty



HYDROPONIC SCISSORS

FS 4130 | 2 IN BLADES

- Stainless steel blades with double beveled tapered tips for precision cuts
- Durable handle offers lightweight comfort and performance
- Handle and blades can be sterilized to limit cross contamination
- Limited Warranty



MAX FLORAL SHEARS

STRENGTH & DURABILITY



MAXFORGED | THINNING SHEAR

FS 4350 | 1 3/4 IN BLADES

- Resharpener, straight, narrow blades for tight spaces
- Forged steel alloy construction
- Scissor-cutting action
- Suitable for left- and right-hand use
- Non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HOUSEPLANT SHEAR

FS 4310 | 1 1/4 IN BLADES

- Resharpener, narrow blades for delicate plants
- Forged steel alloy construction
- Compact design for smaller hands
- Suitable for left- and right-hand use
- Non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



FLORAL SHEARS

MICRO SNIPS

ComfortGEL®

FS 3214D | 1 3/4 IN BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Full stainless steel core
- Maximize comfort and control with soft, ergonomically shaped grips
- Built-in lock
- Limited Warranty



FLORAL SNIPS

ComfortGEL®

FS 3204 | 1 3/4 IN BLADES

- Fully heat-treated blades maintain sharpness
- Volute spring resists dirt build-up and clogging
- Thorn stripper for stems up to 3/8 in diameter
- Maximize comfort and control with soft, ergonomically shaped grip
- Limited Warranty



FLORAL SCISSORS

NEW

ComfortGEL®

FS 3394 | 3 IN BLADES

- ComfortGEL® ergonomic grips for superior comfort
- Wavy, serrated 3 in edges hold stems while cutting
- Resharpener stainless steel blades won't rust
- Blades separate for ease of cleaning
- Limited Warranty



FLORAL SCISSORS

FS 4000 | 3 IN BLADES

- Great for cutting an assortment of plants and flowers
- Stainless steel blades are resharpener
- Serrated blade for easy, clean cuts
- Ergonomic grips for comfort
- Limited Warranty



FRUIT PICKER

EXTENDABLE FRUIT PICKER

FP 2312 | REACHES UP TO 12 FT

- Hook the fruit between the prongs and gently pull to pick
- Foam cushion in basket reduces fruit bruising
- Catch the fruit in a 5 1/2 in deep basket
- Powder-coated basket resists rust and corrosion
- Twist pole to extend upper pole to desired length
- Aluminum pole extends to 12 ft
- Limited Warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



STOW. SHARPEN. CATCH.

CORONA®
ACCESSORIES



MAX | LEATHER SCABBARD

AC 7300 | 14 IN

- For use with QS 7900, RS 7395 and other 13 to 14 in curved saws
- Top-grain leather construction
- Stitched and riveted for durability
- Limited Lifetime Warranty



MAX | LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- Limited Lifetime Warranty

ACCESSORIES



MACHETE SHEATHS

- Durable reinforced nylon construction
- Belt loops and leg straps for a secure fit
- Built-in button snap holds tool safely in place
- Limited Warranty

AC 7310 | 18 IN

- Fits MA 60061, MA 62060 and other machetes up to 18 in

AC 7330 | 22 IN

- Fits MA 60062 and other machetes up to 22 in



PLASTIC SCABBARD

AC 7400

- Fits curved pruning saws with blades up to 14 in such as CORONA® RS 7395, RS 7120 and other brands
- Lightweight and high-strength reinforced poly construction
- Protects saw blade when not in use
- Waistband clip and belt loop option
- Easy carrying with hinged belt loop and reinforced carabiner hole
- Limited Warranty

U.S. Patent D518,952



UNIVERSAL TOOL POUCH

AC 4510 | 5 IN

- Universal design fits hand pruners and folding saws up to 8 in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5 in
- Limited Warranty

Sharpener not included



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty



LEAF AND GRASS CATCHER

AC 8350

- Used to manually pick up grass, leaves and yard debris
- Thick, heavy-duty galvanized steel pan
- Heavy-duty steel wire frame
- Canvas is water- and mildew-resistant
- Limited Warranty

EVERYTHING GARDENERS DESIRE

Since 1730, Burton & Ball has been recognized as the UK's leader for high-end gardening tools and accessories. Their products are highly sought out by gardeners for their old-world styling, fine craftsmanship, cutting-edge designs, and high-profile collaborations with Royal Horticultural Society and design icon, Sophie Conran. Appealing to the sophisticated gardener, these unique product lines include comfortable and durable garden wear, quality hand tools, exclusive fluorescent tools, pruners, and other must-have accessories. To complement Corona's hard-working products, we are proud to introduce select Burton & Ball products stateside this spring.






kneelo®

Ultra-cushion knee pads

for gardening and yard care



- 1 Ultra-cushion memory foam technology
- 2 Deep core of shock absorbing EVA foam
- 3 Outer layer of water-resistant durable neoprene
- 4 Quick-dry, wipe clean nylon cover
- 5 Unique design prevents digging in at key points
- 6 Adjustable hook & loop straps


Navy GKN/KPADNAVY	Moss GKN/KPADMOSS	Plum GKN/KPADPLUM	Gooseberry GKN/KPADGOO	Berry GKN/KPADBERRY	Cobalt GKN/KPADCOB	Poppy GKN/KPADPOP	Emerald GKN/KPADEMER	Eucalyptus GKN/KPADEUC	Slate GKN/KPADSLA



kneelo[®]

Ultra-cushion kneeler

for gardening, sporting events, and outdoor concerts



- 1 Deep core of shock absorbing EVA foam
- 2 Outer layer of water-resistant durable neoprene
- 3 Quick-dry, wipe clean nylon cover
- 4 Generously sized with contoured foam edges
- 5 Lightweight and easy-grip for carrying

Navy GKN/NAVY	Moss GKN/MOSS	Plum GKN/PLUM	Gooseberry GKN/GOO	Berry GKN/BERRY	Cobalt GKN/COBALT	Poppy GKN/POP	Emerald GKN/EMERALD	Eucalyptus GKN/EUC

HIP-TRUG CADDY

Go hands-free with the Hip-Trug wearable garden caddy

- Eliminates bending down to a basket on the ground
- Clips easily to belt, pocket or waistband
- Rugged construction and durable neoprene holster
- Container is food safe, suitable for microwave and dishwasher
- Easy to empty; slip container out of holster



Navy
GKN/LGTRUGNAVY



Moss
GKN/LGTRUGMOSS



Poppy
GKN/LGTRUGPOP

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

EASY TO SPOT FLUORESCENT COLORS



GARDEN GLOVES

- Keep hands clean and dry without losing the dexterity for tasks such as handling seedlings
- Fine elasticized cotton glove fits like a second skin without overheating
- Nitrile coated fingers and palm offer extra protection against dirt and moisture as well as enhanced grip
- Machine Washable

YELLOW
S/M GFB/GGYELLSM
M/L GFB/GGYELML



PINK
S/M GFB/GGPINKSM
M/L GFB/GGPINKML



BYPASS PRUNER

- Cuts up to 1"
- Precision-ground, high-carbon steel blade gives the lasting sharpness essential for healthy cutting
- Sap groove stops blades from sticking in use
- Easy release secure blade lock
- Robust alloy handles with contoured cushion grip
- Wire cutting notch



YELLOW
GFB/BSYELL

PINK
GFB/BSPINK



Never lose
your tools
in the garden
again.

ENDORSED BY



Inspiring everyone to grow



POCKET PRUNER

- Cuts up to 1/2"
- Precision-ground, high-carbon steel blade gives the sharpness essential for healthy cutting
- Sap groove stops blades from sticking in use
- Easy release secure blade lock
- Contoured cushion grip
- Robust alloy handles



YELLOW
GFB/PPYELL



PINK
GFB/PPPINK

FLOWER & FRUIT SNIP

- Finely pointed blades for precision stem selection
- Hardened and tempered stainless steel blades for lasting sharpness and rust resistance
- Wipe with an oiled cloth after use and sharpen periodically



YELLOW
GFB/FSYELL




PINK
GFB/FSPINK

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

ENDORSED BY



Burgon & Ball tools are the only garden tools to be endorsed by the Royal Horticultural Society, one of the world's foremost horticultural organizations and the UK's leading gardening charity. You can be confident of the quality of these tools: RHS-endorsed gardening tools carry a ten year guarantee (for cutting tools) or a lifetime guarantee (for stainless steel tools) against manufacturing defects.



GTO/ERGODH

GTO/PP

GTO/FFS

ERGO DEADHEADER

- Ergonomic design reduces hand strain
- Precision-ground, high carbon steel blade
- Easy squeezing action reduces strain
- Finger loop for improved control
- Easy release secure blade lock
- Robust alloy handles with contoured grip

POCKET PRUNER

- Powerful cutting for smaller hands
- Cuts up to 1/2"
- Precision-ground, high carbon steel blade gives the sharpness essential for healthy cutting
- Sap groove stops blades from sticking while in use
- Easy release secure blade lock
- Robust alloy handles with contoured cushion grip

FLOWER & FRUIT SNIP

- Precise cutting & harvesting
- Finely pointed blades for precision stem selection and deadheading
- Hardened and tempered stainless steel blades for lasting sharpness and rust resistance
- Comfortable cushion grip

© The Royal Horticultural Society
Endorsed by the Royal Horticultural Society
Registered Charity No 222879/SC038262
rhs.org.uk

HAND TOOLS

HORI HORI GARDEN KNIFE

- Serrated multi-purpose steel blade for digging, cutting, transplanting
- High-carbon steel for strength and durability
- Rust resistant powder coating
- Depth markings on blade for accurate planting
- Endorsed by the Royal Horticultural Society

GCT/KNIFE



BULB PLANTER

- Deep serrations cut a 2 1/4" diameter core of soil with ease
- Depth markings up to 4 inches for precise planting
- Rust-resistant stainless steel
- Endorsed by the Royal Horticultural Society
- Lifetime guarantee

GTH/SBPRHS



BLOCK PAVING KNIFE

- For removal of weeds and moss from block paving and patios without the use of chemicals
- Slim in-line head design with sharpened 90 degree angle and fine hook fits into small spaces to extract weeds
- Rust-resistant stainless steel
- Endorsed by the Royal Horticultural Society

GTH/SPWRHS



WIDGER

- Ideal for transplanting seedlings and plug plants
- Long narrow shape for levering plants out of pots
- Rust-resistant stainless steel
- Endorsed by the Royal Horticultural Society

GTH/SWDRHS



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HAND TOOLS

HAND TROWEL

- Deeply dished for more efficient digging
- Rust-resistant stainless steel
- Precision forged tang connects head to handle to resist bending and breaking
- Endorsed by the Royal Horticultural Society
- Lifetime guarantee



GTH/SHTRHS

TRANSPLANTER

- Narrow head and depth markers for precise holes
- Rust-resistant stainless steel
- Precision forged tang connects head to handle to resist bending and breaking
- Endorsed by the Royal Horticultural Society
- Lifetime guarantee




GTH/STPRHS



CULTIVATOR

- Sharp points slice through ground with incredible ease and efficiency
- Rapidly prepares ground for planting
- Rust-resistant stainless steel
- Precision forged tang connects head to handle to resist bending and breaking
- Endorsed by the Royal Horticultural Society
- Lifetime guarantee



GTH/SCCRHS

DUTCH HOE

- Lightly aerates and removes weeds from surface of soil
- Rust resistant stainless steel blade
- Long, lightweight ash handle for comfort and long life
- Long brackets keep handle and socket section clear of soil and debris build-up when in use
- Endorsed by the Royal Horticultural Society
- Lifetime guarantee



GTB/SHORHS

HAND TOOLS


RAZOR HOE

- Angled hoe effectively cultivates soil while removing all weeds in its path
- Compact head moves easily between rows of plants
- Pointed razor sharp blade slices easily through packed or clay soils
- Forged, high-carbon steel retains sharp edge
- Hardwood handle
- 10 year guarantee



SICKLE

- Designed for quick easy cutting of grasses and other herbaceous perennials
- Forged, high-carbon steel retains sharp edge
- Razor sharp serrations bite into foliage
- Ergonomic curved blade
- Single handed cutting action
- Hardwood handle
- 10 year guarantee



PICK

- Powerful chopping action
- Sharp point and weighted head make tilling packed soil almost effortless
- Forged from high carbon steel for long life
- 10 year guarantee



WEEDER

- Weeds large areas fast
- Cuts on both the push and pull strokes to get weeding done in half the time
- Long handle eliminates stooping & back pain
- Wide head allows for rapid weeding of larger areas such as vegetable gardens or gravel driveways
- Minimal soil disturbance reduces weed germination
- Surface action retains soil moisture
- 10 year guarantee



SOPHIE *For* CONRAN

Burgon & Ball



Having brought her inimitable combination of flair, style and design skills to the kitchen through her work with Portmeirion, Sophie Conran has now turned her attention to the tools that surround the other main love of her life — her garden.

Working in partnership with Burgon & Ball, the UK's longest standing garden tool manufacturer (est. Sheffield, 1730), Sophie has created a stunning collection of ergonomically advanced tools and fun gift sets for lovers of gardening and the great outdoors.



Bypass Pruner

GSC/SECAT

Smaller and lighter than the usual bypass pruner—perfect for the smaller hand. Made from stainless steel, making them outstanding for cutting and rust-resistant. Brass lock keeps the blade safely closed when not in use.



Precision Bypass Pruner

GSC/PRESEC

Double-bladed bypass pruner with fine precision tips—perfect for targeted cutting, even on woody green stems. Especially good for floristry work. Made from stainless steel, making them rust-resistant and outstanding for cutting. Brass lock keeps the blade safely closed when not in use.



*The better the tools,
the easier the job*

SOPHIE

SALES SUPPORT



PRINCIPLES OF PLANTING

CC 9313

- Bilingual
- English and Spanish
- 8 1/2 in X 5 1/2 in



PRINCIPLES OF PRUNING

CC 9312

- Bilingual
- English and Spanish
- 8 1/2 in X 5 1/2 in



BIN TAGS

MH 9226


- Excellent for identifying position for each product at the shelf and reorder when inventory is depleted.
- 25 sheets per pad
- 2 3/4 in X 3 3/4 in



CORONA® VINYL BANNER

MH 9213

- Fence or store flag
- 3 ft x 5 ft, 6 grommets
- Place indoors or outdoors



HEADER SIGN | CORONA LOGO 2-SIDED

MH 9149

- 36 in x 8 in
- Corona logo on front
- Spanish "Born in the orange groves of Southern California in the 1920s" on back



4 FT DISPLAY POG HEADER

MH 9240

- 48 in x 7 1/2 in


NEW



3 IN "L" STYLE SIGN HOLDERS

MH 9229

- For vertical surfaces
- Six per bag
- Recommend 1 bag per sign



3 IN "T" STYLE SIGN HOLDERS

MH 9228

- For horizontal surfaces
- Six per bag
- Recommend 1 bag per sign

MERCHANDISING



- Corona® not only produces classically designed tools that deliver superior performance, but also racks that help you display tools in a way that ensures an attractive, attention-getting, point-of-purchase look.
- Please refer to the following pages for those racks that will best fit your needs.
- If you would like to take it one step further and make sure your tools are well organized, we also offer labels to specify which tools will be kept on that rack.
- Contact your local Corona® representative or Corona® Customer Service for details.

DISPLAY RACK
MR 9115



WHEELBARROW RACK
MR 9192

- Display two fully-assembled wheelbarrows
- Display rack only, does not include tools



PRODUCT DISPLAY LABELS

DISPLAY RACK
MR 9256C-1 and C-2

- With MH 9111 Header for Lawn & Garden tools



DISPLAY RACK
MR 9256B

- For display of Burgon & Ball garden wear, gloves and tools



HEAVY BAR RACK
MR 9157

- Used for displaying heavy bars




LONG HANDLE TOOL ROLLING RACK
MR 9161

- Tools not included



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MERCHANDISING



TRENCH SHOVEL RACK
MR 9154



BROOM RACK
MR 9155



RAKE RACK
MR 9156



**LONG TOOL
WATERFALL RACK**
MR 9162



**LONG HANDLE TOOL HANGING
MULTI-TOOL DISPLAY**
MR 9163



**WALL MOUNTING RACK
BOW/LEVEL RAKE**
MR 9168



LOPPER RACK
MR 9111



TREE PRUNER RACK
MR 9112



**HEDGE SHEAR/
LOPPER RACK**
MR 9114

MERCHANDISING



HEDGE SHEAR RACK
MR 9116B




**HEDGE SHEAR/
LOPPER RACK**
MR 9123B



LOPPER RACK
MR 9125B



LOPPER RACK
MR 9126



ALL-STEEL FOOTPAD RACK
MR 9182

- Only displays long-handled All-Steel Shovel and Spade models with footpads, head-up



FILE/RASP WALL DISPLAY
MR 9185

- Display rack with header sign only, does not include tools



FOLDING RACK
MR 9180



HAND TOOL/PRUNER RACK
MR 9236



STRIKING TOOL RACK
MR 9179

MERCHANDISING RACKS BY MODEL

MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER
ALL-STEEL SHOVELS		DIY SHOVELS (CONT.)		LEVEL HEAD RAKES	
AS 90210	MR 9182	SS 28000	MR 9162	RK 64060	MR 9168
AS 90010	MR 9182	SS 28010	MR 9162	RK 64002	MR 9168
AS 90220	MR 9182	SS 28020	MR 9162		
AS 90020	MR 9182	SS 28030	MR 9162	LEAF RAKES	
AS 90230	MR 9182	SS 29000	MR 9162	RK 63003	MR 9112
AS 90030	MR 9182	SS 29010	MR 9162	RK 62061	MR 9112
AS 90240	MR 9182	SS 29020	MR 9162	RK 62060	MR 9112
AS 90040	MR 9182	SS 29030	MR 9162	RK 62000	MR 9112
AS 90310	MR 9182			RK 62001	MR 9112
AS 90320	MR 9182	VALUE SHOVELS		RK 25030	MR 9112
AS 90340	MR 9182	SS 47000	MR 9162	RK 25024	MR 9112
AS 90300	MR 9182	SS 10000	MR 9162	RK 25018	MR 9112
AS 90400	MR 9182	SS 11000	MR 9162	RK 25008	MR 9112
				RK 24061	MR 9162
FORGED SHOVELS		TRENCH SHOVELS		RK 24003	MR 9162
SF 80020	MR 9162	SS 64103	MR 9154, MR 9157	RK 24002	MR 9162
SF 80000	MR 9162	SS 64104	MR 9154, MR 9157	RK 12030	MR 9162
SF 79000	MR 9162	SS 64105	MR 9154, MR 9157	RK 12024	MR 9162
		SS 64106	MR 9154, MR 9157	RK 12010	MR 9162
CLOSED-BACK SHOVELS		SS 64123	MR 9154, MR 9157		
SS 60000	MR 9162	SS 64124	MR 9154, MR 9157	BOW HEAD RAKES	
SS 60020	MR 9162	SS 64125	MR 9154, MR 9157	RK 65061	MR 9168
SS 61000	MR 9162	SS 64126	MR 9154, MR 9157	RK 65022	MR 9168
SS 61020	MR 9162	SS 64223	MR 9154, MR 9157	RK 65021	MR 9168
SS 62000	MR 9162	SS 64224	MR 9154, MR 9157	RK 65002	MR 9168
SS 62010	MR 9162	SS 64225	MR 9154, MR 9157	RK 65001	MR 9168
SS 62020	MR 9162	SS 64303	MR 9154, MR 9157	RK 20022	MR 9168
SS 62030	MR 9162	SS 64304	MR 9154, MR 9157	RK 20002	MR 9168
SS 62100	MR 9162	SS 64305	MR 9154, MR 9157	RK 10000	MR 9168
SS 62110	MR 9162	SS 64306	MR 9154, MR 9157		
SS 62120	MR 9162	SS 64323	MR 9154, MR 9157	SPECIALTY RAKES	
SS 62130	MR 9162	SS 64324	MR 9154, MR 9157	RK 42000	MR 9112
SS 63010	MR 9162	SS 64325	MR 9154, MR 9157		
		SS 64326	MR 9154, MR 9157	HOES	
STANDARD SHOVELS		SS 64333	MR 9154, MR 9157	SH 10000	MR 9163
SS 65000	MR 9162	SS 64334	MR 9154, MR 9157	SH 15000	MR 9163
SS 65010	MR 9162	SS 64335	MR 9154, MR 9157	SH 20000	MR 9163
SS 65020	MR 9162			SH 60000	MR 9163
SS 66000	MR 9162	SCOOP SHOVELS		SH 60001	MR 9163
SS 66010	MR 9162	SS 42001	MR 9162	SH 60060	MR 9163
SS 66020	MR 9162	SS 42011	MR 9162	SH 60061	MR 9163
SS 39000	MR 9162	SS 48248	MR 9162	SH 61000	MR 9163
		SS 49100	MR 9162	SH 63000	MR 9163
LIGHTWEIGHT SHOVELS		SS 49234	MR 9162	SH 65000	MR 9180
SS 30020	MR 9162	SS 68000	MR 9162	FH 70000	MR 9163
SS 30030	MR 9162	SS 68010	MR 9162	FH 71000	MR 9163
SS 31020	MR 9162	SS 68030	MR 9162	FH 71002	MR 9163
SS 31030	MR 9162	SS 68231	MR 9162	FH 71003	MR 9163
SS 39000	MR 9162	SS 69010	MR 9162		
				CULTIVATORS	
DIY SHOVELS		LANDSCAPE RAKES		CV 20004	MR 9163
SS 26000	MR 9162	PD 60000	MR 9180	CV 22000	MR 9163
SS 26010	MR 9162	PD 40020	MR 9180	CV 60061	MR 9163
SS 26020	MR 9162	PD 40000	MR 9180	CV 60063	MR 9163
SS 26030	MR 9162	PD 20000	MR 9180	CV 60064	MR 9163
SS 27000	MR 9162	RK 61064	MR 9156		
SS 27010	MR 9162	RK 61063	MR 9156	FORKS	
SS 27020	MR 9162	RK 61062	MR 9156	FK 74010	MR 9162
		RK 61061	MR 9156	FK 74000	MR 9162

MERCHANDISING RACKS BY MODEL



MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER
FORKS (CONT.)		BROOMS		TREE PRUNERS	
FK 72065	MR 9162	BM 43001	MR 9180	TP 3811	MR 9112
FK 72005	MR 9162	BM 41002	MR 9180	TP 3841	MR 9112
FK 72004	MR 9162	BM 62060	MR 9180	TP 6830	MR 9112
FK 71005	MR 9162	BM 62001	MR 9155	TP 6850	MR 9112
FK 71004	MR 9162	BM 61002	MR 9155	TP 6870	MR 9112
FK 70010	MR 9162	BM 60001	MR 9155		
FK 70004	MR 9163			TREE PRUNERS	
FK 70000	MR 9162	HEDGE SHEARS		CT 30X0i	MR 9236
FK 60000	MR 9162	AH 6970	MR 9116B	CT 37X0	MR 9236
FK 44010	MR 9162	AH 6950	MR 9116B	GT 30X0	MR 9236
FK 42010	MR 9162	AH 6940	MR 9116B		
FK 42000	MR 9162	HS 7140	MR 9116B	MULTI-TOOL	
		HS 6960	MR 9116B	ROLLING RACK	MR 9115
AXES		HS 6930	MR 9116B	PEG HOOKS	MR 9124
AX 71020	MR 9180	HS 6920	MR 9116B	(for MR 9115)	
AX 70020	MR 9180	HS 3950	MR 9116B		
		HS 3911	MR 9116B	WHEELBARROWS	
SLEDGEHAMMERS		AH 4220	MR 9116B	WB 2806FF	MR 9192
ST 400XX	MR 9179	HS 3070	MR 9116B	WB 2806	MR 9192
ST 700XX	MR 9179	AH 4250	MR 9116B	WB 2706	MR 9192
ST 73003	MR 9179	HS 4244	MR 9116B	WB 2606KFF	MR 9192
		HS 4344	MR 9116B	WB 2606K	MR 9192
		HS 3244	MR 9116B	WB 2506KFF	MR 9192
PICKS AND MATTOCKS				WB 2506K	MR 9192
PM 40000	MR 9180	LOPPERS		WB 2006	MR 9192
PM 41000	MR 9180	AL 8482	MR 9126	WB 1006	MR 9192
PM 42000	MR 9180	AL 8462	MR 9126	WB 2004	MR 9192
PM 74020	MR 9180	AL 8442	MR 9126		
PM 75020	MR 9180	AL 8321	MR 9126		
		AL 8311	MR 9126		
HEAVY BARS		AL 4110	MR 9126		
BR 70090	MR 9157	FL 3470	MR 9125B		
BR 71090	MR 9157	FL 3460	MR 9125B		
BR 72090	MR 9157	FL 3420	MR 9114		
BR 73090	MR 9157	SL 7280	MR 9111		
BR 74090	MR 9157	SL 7180	MR 9111		
		RL 3560	MR 9126		
UTILITY TOOLS		SL 3264	MR 9125		
UT 71000	MR 9163	SL 6500	MR 9126		
UT 70000	MR 9163	SL 4150	MR 9116B		
UT 69000	MR 9163	SL 3310	MR 9116B		
UT 62055	MR 9162	SL 4264	MR 9126		
UT 61000	MR 9162	SL 4364	MR 9126		
UT 64050	MR 9162	SL 8181	MR 9126		
UT 62052	MR 9162	WL 6490	MR 9126		
UT 62050	MR 9162	WL 6470	MR 9125B		
UT 62051	MR 9162	WL 6450	MR 9125B		
UT 63050	MR 9162	WL 6420	MR 9125B		
UT 64020	MR 9162	WL 6381	MR 9126		
UT 60054	MR 9163	WL 6370	MR 9125B		
UT 60030	MR 9163	WL 6361	MR 9126		
UT 60007	MR 9163	WL 6350	MR 9125B		
UT 24000	MR 9163	WL 6341	MR 9126		
UT 21000	MR 9163	WL 6320	MR 9125B		
UT 20000	MR 9163	WL 6310	MR 9125B		
		WL 3351	MR 9116B		

INDEX

16020-1	81	AC 2500	31	AL 8350	76	BP 7100D	68
16120-1	80	AC 2600	31	AL 8360	76	BP 7200	68
16150-1	80	AC 2806	29	AL 8442	76	BP15180	69
24003-4	26	AC 2806FF	29	AL 8462	76	BR 70090	51
24003-8	25, 26	AC 4510	72, 93	AL 8482	76	BR 71090	51
3670-1C	69	AC 7041	80	AL15147	76	BR 72090	51
3670-91C	69	AC 7220	72, 93	AL15148	76	BR 73090	51
40000-4	51	AC 7240	85	AL15149	76	BR 74090	51
40000-8	51	AC 7241D	85	AL15150	76	CC 9312	106
40001-4	51	AC 7242	85	AP 3110	72	CC 9313	106
40004-4	51	AC 7300	93	AP 3334	71	CF405014SC0CD	57
41000-4	51	AC 7310	93	AS 90010	35	CF4050316SC0BX	57
41000-8	51	AC 7330	93	AS 90020	35	CF4050532SC0BX	57
42000-8	51	AC 7400	93	AS 90030	35	CF4050532SC0CD	57
43003-4	51	AC 7610	85	AS 90040	35	CF4050732SC0BG	57
45030-4	26, 27	AC 7672	85	AS 90100	35	CF4050732SC0CD	57
5060-42	88	AC 7990	85	AS 90110	35	CF425018SC0CD	57
60001-4	12	AC 7991	85	AS 90210	35	CT 3010i	18
60050-4	64	AC 7992	85	AS 90220	35	CT 3020i	18
60061-8	12	AC 8300	72	AS 90230	35	CT 3030i	18
60100-4	12	AC 8300	93	AS 90240	35	CT 3040i	18
60100-8	12	AC 8350	93	AS 90300	36	CT 3050i	18
60101-8	12	AC 9000	84	AS 90310	36	CT 3314	16
62000-4	26	AC 90000	36	AS 90320	36	CT 3324	16
62001-8	26	AC 9010	85	AS 90340	36	CT 3334	16
62060-4	25, 26	AC 9020	85	AS 90400	36	CT 3344	17
64000-4	24, 25	AC 9100	84	AX 70020	50	CT 3354	17
64020-64	64	AC 9200	84	AX 71020	50	CT 3364	17
65000-4	12	AG 4910	90	BM 41002	28	CT 3374	17
65001-8	12	AG 4910SS	89	BM 43001	28	CT 3710	18
65030-1	62	AG 4920	90	BM 60001	28	CT 3720	18
65050-1C	62	AG 4920SS	89	BM 61002	28	CT 3730	18
65050-3C	62	AG 4930	90	BM 62001	28	CT 3740	18
6880-8	84	AG 4930SS	89	BM 62060	28	CT 3750	18
69000-050	63	AG 4940	90	BP 3130	69	CV 20004	13
69000-100	63	AG 4940SS	89	BP 3160	69	CV 22000	13
69000-118	63	AG 4980SS	89	BP 3180D	69	CV 60061	13
69000-200	63	AG 5010	88	BP 3214D	71	CV 60063	13
69000-835	63	AG 5020	88	BP 3225D	69	CV 60064	13
7100-1	81	AG 5030	88	BP 3324	71	FA0001CD	58
71000-4	12	AG 5040	88	BP 3640	69	FE0003SA	59
71000-8	12	AG 5050	88	BP 3670	69	FE400108BC1CD	54
71001-4	14	AG 5060	88	BP 4180	72	FE400110BC0CD	54
71002-4	14	AH 4220	74	BP 4214D	71	FE400110BC1CD	54
71002-8	12	AH 6940	73	BP 4250	70	FE400308BC1CD	55
7160-4	80	AH 6950	73	BP 4314D	71	FE400406BC1CD	55
7255-1	80	AH 6970	73	BP 4840	70	FE404006XS1CD	56
73020-4	51	AL 4110	78	BP 6250	70	FE404106SL1CD	56
74010-4	14	AL 6512	76	BP 6310	70	FE404506BC0BX	56
7800-1	79	AL 8311	76	BP 6340	70	FE404508BC0BX	56
7900-1	79	AL 8321	76	BP 6360	70	FE404510BC0BX	56

FE405504BC0BX . . . 54	GFB/BSYELL 98	GTH/STPRHS 102	MR 9155 108
FE405506BC0BX . . . 54	GFB/FSPINK 99	GTH/SWDRHS 101	MR 9156 108
FE405506BC0CD . . . 54	GFB/FSYELL 99	GTH/WTH 103	MR 9157 107
FE405506BC1CD . . . 54	GFB/GGPINKML 98	GTH/WTP 103	MR 9161 107
FE405506SC0CD . . . 54	GFB/GGPINKSM 98	GTH/WTS 103	MR 9162 108
FE405508BC0BX . . . 54	GFB/GGYELLML 98	GTO/ERGODH 100	MR 9163 108
FE405508BC0CD . . . 54	GFB/GGYELLSM 98	GTO/FFS 100	MR 9168 108
FE405508BC1CD . . . 54	GFB/PPPINK 99	GTO/PP 100	MR 9236 109
FE405508SC0CD . . . 54	GFB/PPYELL 99	HF106108STOCD . . . 57	MR 9179 109
FE405510BC0BX . . . 54	GKN/BERRY 96	HS 3244 74	MR 9180 109
FE405510BC0CD . . . 54	GKN/COBALT 96	HS 3344 74	MR 9182 109
FE405510BC1CD . . . 54	GKN/EMERALD 96	HS 3911 74	MR 9185 109
FE405510SC0CD . . . 54	GKN/EUC 96	HS 3950 73	MR 9192 107
FE405512BC0BX . . . 54	GKN/GOO 96	HS 4244 74	MR 9256B 107
FE405512BC0CD . . . 54	GKN/KPADBERRY . . . 95	HS 4344 74	MR 9256C-1 107
FF408206CD 58	GKN/KPADCOB 95	HS 6920 73	MR 9256C-2 107
FH 70000 12	GKN/KPADEMER . . . 95	HS 6930 73	PD 20000 47
FH 71000 12	GKN/KPADEUC 95	HS 6960 73	PD 40000 47
FH 71002 12	GKN/KPADGOO 95	HS 7140 73	PD 40020 47
FH 71003 12	GKN/KPADMOSS . . . 95	HS15150 73	PD 60000 47
FK 42000 15	GKN/KPADNAVY . . . 95	HT 69100 15	PF400314BC0BX . . . 55
FK 42010 15	GKN/KPADPLUM . . . 95	HT 69200 15	PM 40000 51
FK 44010 15	GKN/KPADPOP 95	HT 69300 15	PM 41000 51
FK 70000 14	GKN/KPADSLA 95	LG 3604 20	PM 42000 51
FK 70004 14	GKN/LGTRUGMOSS . . 97	LG 3624 20	PM 74020 51
FK 70010 14	GKN/LGTRUGMOSS . . 97	LG 3634 20	PM 75020 51
FK 71004 14	GKN/LGTRUGNAVY . . 97	LG 3654 20	PS 4040 81
FK 71005 14	GKN/MOSS 96	LG 3684 21	PS 4050 81
FK 72004 14	GKN/NAVY 96	LG 3694 21	QS 7800 79
FK 72005 14	GKN/PLUM 96	LG 3710 21	QS 7900 79
FK 72065 14	GKN/POP 96	LG 3720 21	RK 10000 27
FK 74000 14	GS 3750D 74	LR 3460 72	RK 20002 24
FK 74010 14	GS 3760 74	MA 60061 79	RK 20022 24
FL 3420 78	GS 6750D 74	MA 60062 79	RK 24002 26
FL 3460 78	GSC/PRESEC 105	MA 61060 79	RK 24003 26
FL 3470 78	GSC/SECAT 105	MA 62060 79	RK 24061
FP 2312 91	GT 3040 19	MH 9149 106	RK 25008 27
FR410108BC1CD . . . 58	GT 3050 19	MH 9213 106	RK 25017 27
FS 3204 91	GT 3060 19	MH 9226 106	RK 25024 27
FS 3214D 91	GT 3070 19	MH 9228 106	RK 25030 27
FS 3394 91	GT 3080 19	MH 9229 106	RK 42000 25
FS 4000 91	GT 3090 19	MH 9240 106	RK 45008 27
FS 4110 90	GT 3234 19	MR 9111 108	RK 45026 26
FS 4120 90	GT 3244 19	MR 9112 108	RK 45030 26
FS 4130 90	GT 3254 19	MR 9114 108	RK 61061 25
FS 4310 91	GTB/SHORHS 102	MR 9115 107	RK 61062 25
FS 4350 91	GTC/SUPERSLICE . . 103	MR 9116B 109	RK 61063 25
FS0004PP 58	GTH/SBPRHS 101	MR 9123B 109	RK 61064 25
FS0005PP 58	GTH/SCCRHS 102	MR 9125B 109	RK 62000 26
GCT/KNIFE 101	GTH/SHTRHS 102	MR 9126 109	RK 62001 26
GFB/BSPINK 98	GTH/SPWRHS 101	MR 9154 108	RK 62060 26

INDEX

RK 62061	26	SS 26020	44	SS 64306	41	UT 62050	62
RK 64002	24	SS 26030	44	SS 64323	41	UT 62051	62
RK 64060	24	SS 27000	44	SS 64324	41	UT 62051	62
RK 65001	24	SS 27010	44	SS 64325	41	UT 62052	63
RK 65002	24	SS 27020	44	SS 64326	41	UT 62055	62
RK 65021	24	SS 28000	45	SS 64333	41	UT 64020	64
RK 65022	24	SS 28010	45	SS 64334	41	UT 64050	64
RK 65061	24	SS 28020	45	SS 64335	41	UT 65001	62
RP 3230	72	SS 28030	45	SS 64714	41	UT 65002	62
RP 4224D	71	SS 29000	45	SS 64715	41	UT 65010	62
RS 4040	81	SS 29010	45	SS 65000	39	UT 65020	62
RS 4060	81	SS 29020	45	SS 65010	39	UT 65030	62
RS 7041	80	SS 29030	45	SS 65020	39	UT 65040	62
RS 7120	81	SS 30020	43	SS 65500	39	UT 65050	62
RS 7255	80	SS 30030	43	SS 66000	39	UT 66004	65
RS 7510D	81	SS 31020	43	SS 66010	39	UT 66006	65
RS16020	81	SS 31030	43	SS 66020	39	UT 67001	64
RS16120	80	SS 39000	39	SS 68000	42	UT 67002	64
RS16150	80	SS 42001	46	SS 68010	42	UT 67003	64
RS16290	80	SS 42011	46	SS 68030	42	UT 69000	63
SF 79000	37	SS 47000	45	SS 68231	42	UT 70000	65
SF 80000	37	SS 48248	46	SS 69010	42	UT 71000	65
SF 80020	37	SS 49100	46	ST 70020	50	WB 1006	31
SH 10000	13	SS 49234	46	ST 70021	50	WB 1006FF	31
SH 15000	13	SS 60000	37	ST 70023	50	WB 1010	31
SH 20000	13	SS 60020	37	ST 70024	50	WB 2004	31
SH 22000	13	SS 61000	37	ST 70025	50	WB 2006	31
SH 60000	12	SS 61020	37	ST 73003	50	WB 2006FF	31
SH 60001	12	SS 62000	38	TP 3206	72	WB 2506K	30
SH 60060	12	SS 62010	38	TP 3206	83	WB 2506KFF	30
SH 60061	12	SS 62020	38	TP 3714	83	WB 2606K	30
SH 61000	12	SS 62030	38	TP 3841	83	WB 2606KFF	30
SH 63000	12	SS 62100	38	TP 4210	83	WB 2706	30
SH 65000	12	SS 62110	38	TP 4212	83	WB 2706FF	30
SH 65000KD	12	SS 62120	38	TP 4214	83	WB 2706S	30
SL 3264	78	SS 62130	38	TP 4216	83	WB 2706SFF	30
SL 3310	78	SS 63010	37	TP 6830	83	WB 2806	29
SL 3364	78	SS 64103	41	TP 6870	82	WB 2806FF	29
SL 4150	78	SS 64104	41	TP 6881	82	WD 2200DC	18
SL 4264	77	SS 64105	41	UT 20000	65	WL 3351	78
SL 4364	77	SS 64106	41	UT 21000	65	WL 6310	77
SL 6500	77	SS 64123	41	UT 24000	65	WL 6320	76
SL 7180	75	SS 64124	41	UT 60007	63	WL 6350	76
SL 7280	75	SS 64125	41	UT 60030	63	WL 6370	76
SL 8180	75	SS 64126	41	UT 60050	64	WL 6420	76
SL15167	75	SS 64223	41	UT 60053	64	WL 6450	76
SS 10000	45	SS 64224	41	UT 60054	63	WL 6470	76
SS 11000	45	SS 64225	41	UT 60055	64	WL 6490	77
SS 25010	44	SS 64303	41	UT 60057	64		
SS 26000	44	SS 64304	41	UT 61000	63		
SS 26010	44	SS 64305	41	UT 62050	62		

WARRANTY INFORMATION



the CORONA® Promise

The lifespan of a tool is dependent upon frequency of use, as well as, the conditions and environment in which it is used.

Tools used by professionals, everyday, on every job, will more likely wear out long before tools used by occasional or infrequent users.

Typically, any defects in materials or workmanship will emerge early in the life of the tool.

CORONA® tools are designed, engineered and manufactured to perform their intended purpose, **Season after Season®**.

Customer Satisfaction is at the top of our priority list, so in the event our tool fails to perform as intended due to materials and/or workmanship,

CORONA® promises to provide a solution based on our three product lines and associated warranties.

MAX FORGED
SHARPNESS & DURABILITY™

MAX FORGED
STRENGTH & DURABILITY™

MAX | **MAX**
SHARPNESS & DURABILITY™ | STRENGTH & DURABILITY™

CORONA® MAX TOOLS represent our best-in-class and have been specifically designed, engineered and manufactured for **PROFESSIONALS** and **PASSIONATE GARDENERS** that demand **maximum durability and lasting performance**.

MAX AND **MAX FORGED TOOLS** CARRY A **LIMITED LIFETIME WARRANTY**

CORONA® MAX TOOLS are guaranteed to be free of defects in materials and workmanship for the life of the tool.

If a **CORONA® MAX TOOL** is found to be defective, **CORONA®** will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

WHAT'S NOT COVERED

CORONA® is dependable and trustworthy and we rely on our customers to be the same. We do not and cannot cover normal wear, lost or stripped parts, altered or modified products, or product damage due to negligence, misuse, or abuse.

OUR DEFINITION OF ABUSE- Using a tool in a manner for which it was not designed.



CORONA®

CORONA® RED TOOLS are designed for **CASUAL GARDENERS** who want control and comfort, but not the maximum durability expectations designed and built into our **CORONA® MAX** line of tools.

CORONA® RED TOOLS CARRY A LIMITED WARRANTY

Corona® warrants RED tools to be free of defects in materials and workmanship. If your tool is found to be defective within ten (10) years from date of purchase, **CORONA®** will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

MAKING WARRANTY CLAIMS OUTSIDE THE U.S.

The warranties outlined here apply specifically to products purchased in the United States. If you purchased your product outside of the U.S., your local **CORONA®** distributor's standard product warranty will apply. Outside the U.S., warranty claims can be made by returning the tool to where you bought it within the relevant timeframe, along with its packaging and original proof of purchase.

Corona reserves the right to ask Dealers and Distributors to send in product photo and contact information for a warranty claim. In some cases, a Return Merchandise Authorization (RMA) number may be required for product returns.

Value Tools

Budget-friendly **Value Tools** are designed for performing basic tasks.

CORONA® Value Tools are covered by a standard manufacturer's

One-Year Limited Warranty against defects in materials or workmanship.

If your **Value Tool** is found to be defective within one (1) year from date of purchase, **CORONA®** will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

PRODUCT SUBSTITUTION

CORONA® will make an effort to either repair or replace any defective tool with one that is similar. If, for any reason, this is not possible, **CORONA®** may choose to satisfy your claim by substituting a different product.

GENUINE REPLACEMENT PARTS

All **CORONA®** tools are built to last, but certain components will wear out after heavy or repeated use. That's why we offer genuine replacement parts for most MAX products. Visit coronatoolsusa.com to see available replacement parts by item number, or contact the **CORONA® Customer Experience Team** for more information at the number noted below.

CORONA® Customer Experience Team:

Corona Clipper, Inc
Attn: Warranty
22440 Temescal Canyon Rd.
Corona, CA 92883
(800) 234-2547
sales@corona.bellota.com



CORONA®

SEASON AFTER SEASON

Corona, Inc.

22440 Temescal Canyon Road • Corona, CA 92883
(951) 737-6515 | (800) 847-7863 | sales@corona.bellota.com

coronatoolusa.com us.burgonandball.com



Connect with Corona Tools!

© Copyright 2021 Corona, Inc.

Burgon & Ball®

SHEFFIELD ENGLAND SINCE 1730



0 38313 09330 3

CC 9330 - X/XX - XX,XXX